

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1617SXX

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	DEC 18	CA/CAPplus pre-1967 chemical substance index entries enhanced with preparation role
NEWS	4	DEC 18	CA/CAPplus patent kind codes updated
NEWS	5	DEC 18	MARPAT to CA/CAPplus accession number crossover limit increased to 50,000
NEWS	6	DEC 18	MEDLINE updated in preparation for 2007 reload
NEWS	7	DEC 27	CA/CAPplus enhanced with more pre-1907 records
NEWS	8	JAN 08	CHEMLIST enhanced with New Zealand Inventory of Chemicals
NEWS	9	JAN 16	CA/CAPplus Company Name Thesaurus enhanced and reloaded
NEWS	10	JAN 16	IPC version 2007.01 thesaurus available on STN
NEWS	11	JAN 16	WPIDS/WPINDEX/WPIX enhanced with IPC 8 reclassification data
NEWS	12	JAN 22	CA/CAPplus updated with revised CAS roles
NEWS	13	JAN 22	CA/CAPplus enhanced with patent applications from India
NEWS	14	JAN 29	PHAR reloaded with new search and display fields
NEWS	15	JAN 29	CAS Registry Number crossover limit increased to 300,000 in multiple databases
NEWS	16	FEB 15	PATDPASPC enhanced with Drug Approval numbers
NEWS	17	FEB 15	RUSSIAPAT enhanced with pre-1994 records
NEWS	18	FEB 23	KOREAPAT enhanced with IPC 8 features and functionality
NEWS	19	FEB 26	MEDLINE reloaded with enhancements
NEWS	20	FEB 26	EMBASE enhanced with Clinical Trial Number field
NEWS	21	FEB 26	TOXCENTER enhanced with reloaded MEDLINE
NEWS	22	FEB 26	IFICDB/IFIPAT/IFIUDB reloaded with enhancements
NEWS	23	FEB 26	CAS Registry Number crossover limit increased from 10,000 to 300,000 in multiple databases
NEWS	24	MAR 15	WPIDS/WPIX enhanced with new FRAGHITSTR display format
NEWS	25	MAR 16	CASREACT coverage extended
NEWS EXPRESS			NOVEMBER 10 CURRENT WINDOWS VERSION IS V8.01c, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 25 SEPTEMBER 2006.
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS LOGIN			Welcome Banner and News Items
NEWS IPC8			For general information regarding STN implementation of IPC 8
NEWS X25			X.25 communication option no longer available

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 11:46:48 ON 16 MAR 2007

=> file caplus medline biosis embase
COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.21	0.21

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 11:47:06 ON 16 MAR 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'MEDLINE' ENTERED AT 11:47:06 ON 16 MAR 2007

FILE 'BIOSIS' ENTERED AT 11:47:06 ON 16 MAR 2007
Copyright (c) 2007 The Thomson Corporation

FILE 'EMBASE' ENTERED AT 11:47:06 ON 16 MAR 2007
Copyright (c) 2007 Elsevier B.V. All rights reserved.

=> s sulfur or sulphur
L1 506352 SULFUR OR SUPHUR

=> s sulfur or sulphur
L2 519265 SULFUR OR SULPHUR

=> s selenium sulfide
L3 1147 SELENIUM SULFIDE

=> s L2 and L3
L4 231 L2 AND L3

=> dup rem L4
PROCESSING COMPLETED FOR L4
L5 224 DUP REM L4 (7 DUPLICATES REMOVED)

=> s cosmetic or dermatological or skin care
L6 181538 COSMETIC OR DERMATOLOGICAL OR SKIN CARE

=> s L5 and L6
L7 40 L5 AND L6

=> s L5 and (AY<2002 or PY<2002 or PRY<2002)
'2002' NOT A VALID FIELD CODE
'2002' NOT A VALID FIELD CODE
2 FILES SEARCHED...
'2002' NOT A VALID FIELD CODE
'2002' NOT A VALID FIELD CODE
'2002' NOT A VALID FIELD CODE
'2002' NOT A VALID FIELD CODE
L8 179 L5 AND (AY<2002 OR PY<2002 OR PRY<2002)

=> s L7 and (AY<2002 or PY<2002 or PRY<2002)
'2002' NOT A VALID FIELD CODE
'2002' NOT A VALID FIELD CODE
2 FILES SEARCHED...
'2002' NOT A VALID FIELD CODE
'2002' NOT A VALID FIELD CODE
'2002' NOT A VALID FIELD CODE
'2002' NOT A VALID FIELD CODE
L9 23 L7 AND (AY<2002 OR PY<2002 OR PRY<2002)

=> d 1-10 L9 ibib abs L9
L9 IS NOT VALID HERE
For an explanation, enter "HELP DISPLAY".

=> d 1-10 L9 ibib abs

L9 ANSWER 1 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2005:36535 CAPLUS
DOCUMENT NUMBER: 142:120183
TITLE: Foaming make-up removing cleansing compositions
containing water dispersible components and foaming
surfactants and propoxylated fatty alcohols
INVENTOR(S): Lukenbach, Elvin R.; Coret, Catherine
PATENT ASSIGNEE(S): USA
SOURCE: U.S. Pat. Appl. Publ., 14 pp., Cont.-in-part of U.S.
Ser. No. 604,449.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 4
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2005009717	A1	20050113	US 2004-862634	20040607 <--
WO 2001001949	A1	20010111	WO 2000-US17431	20000623 <--
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
US 7074747	B1	20060711	US 2000-604449	20000627 <--
US 2004167046	A1	20040826	US 2004-776420	20040211 <--
AU 2006202708	A1	20060720	AU 2006-202708	20060623 <--
PRIORITY APPLN. INFO.:			US 1999-141927P	P 19990701 <--
			WO 2000-US17431	A 20000623 <--
			US 2000-604449	A2 20000627 <--
			AU 2001-97359	A3 20011221 <--

AB The present invention relates to cleansing compns. suitable for use in
personal cleansing applications, and in particular make-up removal
applications, which impart superior cleansing properties and are comprised
of a liquid, water-insol. propoxylated fatty alc., water dispersible
components, water, and foaming surfactants. Also disclosed are compns.
for effectively depositing various benefit agents into and onto the skin.
For example, a foaming facial cleanser contained disodium EDTA 0.1,
Glycerin 917 3.0, Rhodicare T 0.1, Monateric 949J 8.0, Tegobetaine L7 7.0,
Rhodacal A-246L 6.0, Glycerox 767 1.0, Crodesta SL40 1.0, hexylene glycol
1.0, Phenonip 1.0, Tween 20 2.0, Aquafleur Mod A 0.3, Arlasove 200 0.9,
citric acid 1.0 and water 65.9%.

L9 ANSWER 2 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2004:843597 CAPLUS
DOCUMENT NUMBER: 142:11199
TITLE: Dry foam producing aerosol for cosmetics
INVENTOR(S): Kang, Kil Sung; Kim, Hyun Bong; Choe, Jong Moon; Kim,
Min Ho
PATENT ASSIGNEE(S): Cheil Foods & Chemicals Ltd, S. Korea
SOURCE: Repub. Korea, No pp. given
CODEN: KRXXFC
DOCUMENT TYPE: Patent

LANGUAGE: Korean
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
KR 147889	B1	19980817	KR 1994-14233	19940622 <--
PRIORITY APPLN. INFO.:			KR 1994-14233	19940622 <--
AB	A composition of anti-dandruff shampoo is provided which includes a water-insol. anti-dandruff agent and uses alkyl polyglucoside as a dispersant. A composition of anti-dandruff shampoo comprises a water-insol. anti-dandruff agent such as ZnPT, S, SeS2 and their mixture, an anionic surfactant such as sulfosuccinate, sodium lauryl sulfate, ammonium lauryl sulfate and their mixture, a thickener and a bubble modifier such as laurylate diethanol amide, cocamide DEA, cocamide MEA and their mixture, a conditioner, a humectant such as propylene glycol, pyrrolidone carboxylate, urea and their mixture, the dispersant, the preservative, the pigment, and water. The composition includes 2-15% of alkyl polyglucoside as the dispersant. Alkyl polyglucoside is represented as formula 1 wherein n is 8-16 and X as polymerization degree is 1.4, 1.6, or 1.8.			

L9 ANSWER 3 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2003:971738 CAPLUS
DOCUMENT NUMBER: 140:23273
TITLE: N-Acetyl cysteine and its topical use
INVENTOR(S): Yu, Ruey J.; Van Scott, Eugene J.
PATENT ASSIGNEE(S): USA
SOURCE: U.S. Pat. Appl. Publ., 8 pp., Cont.-in-part of U.S. Pat. Appl. 2003 198,656.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 3
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2003229141	A1	20031211	US 2003-462885	20030617 <--
US 6159485	A	20001212	US 1999-227213	19990108 <--
EP 1570840	A2	20050907	EP 2004-29094	20000107 <--
EP 1570840	A3	20051116		
R: DE, ES, FR, GB, IT				
EP 1639994	A2	20060329	EP 2005-18302	20000107 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI, CY				
US 6524593	B1	20030225	US 2000-560901	20000428 <--
US 2003198656	A1	20031023	US 2003-371504	20030221 <--
US 6808716	B2	20041026		
PRIORITY APPLN. INFO.:			US 1999-227213	A1 19990108 <--
			US 2000-560901	A2 20000428 <--
			US 2003-371504	A2 20030221
			EP 2000-902347	A3 20000107 <--

AB Methods to alleviate or improve various cosmetic conditions and dermatol. disorders, including changes or damage to skin, nail and hair associated with intrinsic aging and/or extrinsic aging, as well as changes or damage caused by extrinsic factors using compns. comprising N-acetyl-cysteine (isomeric or non-isomeric forms) and/or free acid, salt, lactone, amide or ester forms of N-acetyl-cysteine are described. The methods provided may also comprise application of a composition further containing various cosmetic, pharmaceutical or other topical agents to enhance or create synergetic effects.

L9 ANSWER 4 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2003:855401 CAPLUS
 DOCUMENT NUMBER: 139:354525
 TITLE: Preparation of phosphorylated collagen type I
 INVENTOR(S): Gunasekaran, Subramanian
 PATENT ASSIGNEE(S): USA
 SOURCE: U.S. Pat. Appl. Publ., 25 pp., Cont.-in-part of U.S.
 Ser. No. 677,646.
 CODEN: USXXCO
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2003203008	A1	20031030	US 2003-406331	20030402 <--
US 5814328	A	19980929	US 1997-782138	19970113 <--
US 6127143	A	20001003	US 1998-162319	19980928 <--
US 6548077	B1	20030415	US 2000-677646	20001003 <--
PRIORITY APPLN. INFO.:			US 1997-782138	A1 19970113 <--
			US 1998-162319	A1 19980928 <--
			US 2000-677646	A2 20001003 <--

AB The present invention relates to methods for preparing collagen, especially type I collagen. In particular, the present invention provides methods for the preparation of collagen suitable for biomedical and veterinary applications. The collagen prepared according to the present invention provides numerous desirable characteristics for applications such as implantation, transplantation, and grafting. A phosphorylated collagen type I (collagen PRO/p-collagen) was prepared by the steps including twice papain treatment process. A film was formed from the obtained collagen PRO, and in vivo evaluated in skin transplants.

L9 ANSWER 5 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2003:22698 CAPLUS
 DOCUMENT NUMBER: 138:78174
 TITLE: Tea tree oil cosmetic formulations
 INVENTOR(S): Bell, Craig
 PATENT ASSIGNEE(S): Australian Rural Group Limited, Australia
 SOURCE: PCT Int. Appl., 38 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003002132	A1	20030109	WO 2001-AU767	20010627 <--
W:			AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW	
RW:			GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG	
PRIORITY APPLN. INFO.:			WO 2001-AU767	20010627 <--

AB Formulations contain 0.25 %-15.0 % weight/volume tea tree oil and 1-15 % weight/volume of a surfactant. The formulation may be used as a mouthwash, cream, shampoo or anti-dandruff preparation. Test on subjects include efficacy, whole scalp score, and patient self assessment.
 REFERENCE COUNT: 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L9 ANSWER 6 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2002:850154 CAPLUS
 DOCUMENT NUMBER: 137:329494
 TITLE: Mitocidal compositions based on sulfur
 INVENTOR(S): Shacknai, Jonah; Gans, Eugene H.
 PATENT ASSIGNEE(S): Medicis Pharmaceutical Corporation, USA
 SOURCE: U.S. Pat. Appl. Publ., 9 pp., Cont.-in-part of U.S.
 Ser. No. 607,881.
 CODEN: USXXCO
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 3
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2002164381	A1	20021107	US 2001-22476	20011218 <--
US 6514489	B1	20030204	US 2000-607881	20000630 <--
US 2003133959	A1	20030717	US 2002-283102	20021029 <--
US 2004057972	A2	20040325		
US 6905675	B2	20050614		
CA 2470582	A1	20030626	CA 2002-2470582	20021210 <--
WO 2003051294	A2	20030626	WO 2002-US39379	20021210 <--
WO 2003051294	A3	20031030		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CO, CR, CU, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2002357119	A1	20030630	AU 2002-357119	20021210 <--
EP 1467622	A2	20041020	EP 2002-805092	20021210 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK				
BR 2002015052	A	20041123	BR 2002-15052	20021210 <--
CN 1606406	A	20050413	CN 2002-825508	20021210 <--
JP 2005513055	T	20050512	JP 2003-552227	20021210 <--
PRIORITY APPLN. INFO.: US 2000-607881 A2 20000630 <--				
US 2001-22476 A 20011218 <--				
WO 2002-US39379 W 20021210				

AB Methods for the treatment and prevention of cutaneous mites and for the treatment and prevention of cutaneous inflammation of mammalian skin associated with cutaneous mite infestations utilizing compns. comprising sulfur, one or more sulfur derivative and a dermatol . acceptable carrier are described. The suitable sulfur derivs. are selenium sulfide, potassium sulfide, poly-potassium sulfide, poly-calcium polysulfide, hydrogen sulfide, sulfuric acid, bisulfides, sulfur dioxide, thiols, sodium sulfacetamide, sulfites, and mercaptans. The composition is preferably a cleanser. For example, a topical solution in cream containing 5.00% precipitated sulfur in addition to 11.29% sulfacetamide sodium and 0.10% sodium thiosulfate was prepared and applied at real-life use levels to the surface of wetted excised human skin mounted in a skin penetration cell. After 12 h, the skin was rinsed and wiped off, and a second dose was then applied for an addnl. 12 h. Over 25% of the dose of sulfur deposited on the skin was absorbed below the surface of the stratum corneum.

L9 ANSWER 7 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2002:221199 CAPLUS
DOCUMENT NUMBER: 136:267913
TITLE: Personal care compositions containing one ester and a water dispersible component
INVENTOR(S): Lukenbach, Elvin R.; Kaminski, Claudia; Pascal-Suisse, Sandrine; Tahar, Maurice; Ruggiero, Monica
PATENT ASSIGNEE(S): Johnson & Johnson Consumer Companies, Inc., USA
SOURCE: U.S. Pat. Appl. Publ., 26 pp., Cont.-in-part of U. S. Ser. No. 604,563.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 4
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2002035046	A1	20020321	US 2000-745270	20001221 <--
US 6762158	B2	20040713		
WO 2001001949	A1	20010111	WO 2000-US17431	20000623 <--
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
CA 2365818	A1	20020621	CA 2001-2365818	20011221 <--
EP 1216685	A2	20020626	EP 2001-310796	20011221 <--
EP 1216685	A3	20040331		
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR			
AU 2001097359	A5	20020627	AU 2001-97359	20011221 <--
CN 1366874	A	20020904	CN 2001-125342	20011221 <--
JP 2002322045	A	20021108	JP 2001-402978	20011221 <--
BR 2001006909	A	20031014	BR 2001-6909	20011221 <--
AU 2006202708	A1	20060720	AU 2006-202708	20060623 <--
PRIORITY APPLN. INFO.:			US 1999-141927P	P 19990701 <--
			WO 2000-US17431	W 20000623 <--
			US 2000-604563	A2 20000627 <--
			US 2000-745270	A 20001221 <--
			AU 2001-97359	A3 20011221 <--

AB Personal care compns. suitable for use in skin care applications, which effectively deliver and/or deposit various benefit agents into and onto the skin and which are relatively non-irritating and thus suitable for use by people having sensitive skin and eyes comprise at least one ester and a water dispersible component. A lipophilic phase was prepared containing isostearyl palmitate, isononyl isononanoate, cetyl octanoate, pentaerythritol tetraoctanoate, and cyclomethicone, and a hydrophilic phase was prepared containing water, Carbopol Ultrez, Crodesta SL-40, Glycerol 767, hexylene glycol, methylparaben, and propylparaben, and a NaOH solution was added to the hydrophilic phase with stirring and the lipophilic phase was then added.

REFERENCE COUNT: 84 THERE ARE 84 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L9 ANSWER 8 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2001:729696 CAPLUS
DOCUMENT NUMBER: 135:277746
TITLE: Controlled delivery system of antifungal and keratolytic agents for treatment of infections of the

INVENTOR(S): nail
Friedman, Michael; Licht, Daniella; Cohen, Rachel;
Yacobi, Avraham; Golander, Yechiel; Moros, Dan;
Levitt, Barrie
PATENT ASSIGNEE(S): Taro Pharmaceutical Industries Ltd., Israel
SOURCE: Eur. Pat. Appl., 17 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1138314	A2	20011004	EP 2001-650031	20010326 <--
EP 1138314	A3	20040102		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
US 7074392	B1	20060711	US 2000-534960	20000327 <--
AU 200128138	A	20011004	AU 2001-28138	20010321 <--
CA 2341814	A1	20010927	CA 2001-2341814	20010322 <--
ZA 2001002441	A	20010928	ZA 2001-2441	20010326 <--
JP 2001316247	A	20011113	JP 2001-91489	20010327 <--
CN 1324607	A	20011205	CN 2001-119020	20010327 <--
US 2006120977	A1	20060608	US 2005-313186	20051220 <--
PRIORITY APPLN. INFO.:			US 2000-534960	A 20000327 <--

AB A topical sustained release system for the delivery of antifungal agents to the finger or toenails achieves high penetration through the nails by combining the drug with a keratolytic agent and a humectant. The sustained-release topical preparation is provided in a varnish or spray form for treating the nail and surrounding tissues. The composition may further comprise antibacterial, antiviral, n antipsoriatic agents, or combinations. Thus, a nail varnish formulation contained urea 0.7, miconazole nitrate 0.8, Eudragit S 7.3, water 4.0, acetone 61.3, iso-PrOH 20.4, PEG-400 0.4, and glycerol 4.9% by weight

L9 ANSWER 9 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2001:31299 CAPLUS
DOCUMENT NUMBER: 134:105631
TITLE: Cleansing compositions containing esters and silicones
INVENTOR(S): Lukenbach, Elvin R.; Kaminski, Claudia; Pascal-Suisse, Sandrine; Tahar, Maurice
PATENT ASSIGNEE(S): Johnson and Johnson Consumer Companies, Inc., USA
SOURCE: PCT Int. Appl., 70 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 4
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001001949	A1	20010111	WO 2000-US17431	20000623 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 2002035046	A1	20020321	US 2000-745270	20001221 <--
US 6762158	B2	20040713		

US 2005009717	A1	20050113	US 2004-862634	20040607 <--
AU 2006202708	A1	20060720	AU 2006-202708	20060623 <--
PRIORITY APPLN. INFO.:			US 1999-141927P	P 19990701 <--
			WO 2000-US17431	W 20000623 <--
			US 2000-604449	A2 20000627 <--
			US 2000-604563	A2 20000627 <--
			AU 2001-97359	A3 20011221 <--

AB Cleansing compns. suitable for use in personal cleansing applications, and in particular make-up removal applications, which not only impart superior cleansing properties, but also which are relatively non-irritating and thus suitable for use by people having sensitive skin and eyes, comprise esters, liquid silicones, and a water dispersible components. Also disclosed are compns. for effectively depositing various benefit agents into and onto the skin. Thus, a composition contained Arlacel P-135 1.1, Wickenol 3.0, Hallstar AB 3.0, Dow 344 Fluid 3.0, Retinol-50C 0.69, Carbopol Ultrez, Trivasol BW 1.0, methylparaben 0.20, propylparaben 0.10, Pelemol TIPC 1.0, NaOH 0.190, and water 86.320% by weight

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L9 ANSWER 10 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2001:31287 CAPLUS

DOCUMENT NUMBER: 134:105670

TITLE: Pharmaceutical and cosmetic compositions containing oligosaccharide aldonic acids and their topical use

INVENTOR(S): Yu, Ruey J.; Van Scott, Eugene J.

PATENT ASSIGNEE(S): USA

SOURCE: PCT Int. Appl., 86 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----
WO 2001001932	A2	20010111	WO 2000-US16301	20000628 <--
WO 2001001932	A3	20010517		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 6335023	B1	20020101	US 2000-487228	20000119 <--
CA 2373852	A1	20010111	CA 2000-2373852	20000628 <--
BR 2000011640	A	20020514	BR 2000-11640	20000628 <--
EP 1227820	A2	20020807	EP 2000-950220	20000628 <--
EP 1227820	B1	20060419		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
JP 2003503436	T	20030128	JP 2001-507430	20000628 <--
AU 775620	B2	20040805	AU 2000-63353	20000628 <--
CN 1635864	A	20050706	CN 2000-809776	20000628 <--
AT 323498	T	20060515	AT 2000-950220	20000628 <--
EP 1685843	A1	20060802	EP 2006-6895	20000628 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI, CY				
PT 1227820	T	20060831	PT 2000-950220	20000628 <--
US 2002028227	A1	20020307	US 2001-987023	20011113 <--

US 6740327	B2	20040525		
HK 1048764	A1	20060915	HK 2003-100874	20030206 <--
US 2004180854	A1	20040916	US 2004-811998	20040330 <--
AU 2004212601	A1	20041014	AU 2004-212601	20040920 <--
JP 2005232180	A	20050902	JP 2005-74658	20050316 <--
PRIORITY APPLN. INFO.:			US 1999-141264P	P 19990630 <--
			US 2000-487228	A 20000119 <--
			EP 2000-950220	A3 20000628 <--
			JP 2001-507430	A3 20000628 <--
			WO 2000-US16301	W 20000628 <--
			US 2001-987023	A1 20011113 <--

OTHER SOURCE(S): MARPAT 134:105670

AB Compns. comprising oligosaccharide aldonic acids are useful for general care, as well as for treatment and prevention, of various cosmetic conditions and dermatol. disorders, including those associated with intrinsic and/or extrinsic aging, as well as with changes or damage caused by extrinsic factors; general care, as well as treatment and prevention of diseases and conditions, of the oral, and vaginal mucosa; for general oral care, as well as treatment and prevention of oral and gum diseases; and for wound healing of the skin. Compns. comprising oligosaccharide aldonic acids may further comprise a cosmetic, pharmaceutical or other topical agent to enhance or create synergetic effects. A cream was prepared by mixing 50 g of 50% maltobionic acid with 50 g oil-in-water base, pH = 1.7. Efficacy of topical maltobionic acid in treatment of dry skin is reported.

=> d 11-23 ibib abs

L9 ANSWER 11 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2001:28567 CAPLUS
 DOCUMENT NUMBER: 134:105629
 TITLE: Foaming oil gel compositions
 INVENTOR(S): Santora, Delores; Hopkins, John; McCulloch, Laura J.
 PATENT ASSIGNEE(S): Johnson and Johnson Consumer Companies, Inc., USA
 SOURCE: Eur. Pat. Appl., 23 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----
EP 1066827	A2	20010110	EP 2000-305281	20000622 <--
EP 1066827	A3	20010912		
EP 1066827	B1	20060809		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, CY				
US 6524594	B1	20030225	US 2000-579737	20000526 <--
CA 2312236	A1	20001223	CA 2000-2312236	20000622 <--
JP 2001039858	A	20010213	JP 2000-188207	20000622 <--
IN 2000CA00359	A	20050624	IN 2000-CA359	20000622 <--
AU 782240	B2	20050714	AU 2000-42608	20000622 <--
AT 335465	T	20060915	AT 2000-305281	20000622 <--
CN 1279062	A	20010110	CN 2000-119340	20000623 <--
BR 2000002858	A	20010313	BR 2000-2858	20000623 <--
TW 237569	B	20050811	TW 2000-89112332	20001025 <--

PRIORITY APPLN. INFO.: US 1999-140605P P 19990623 <--

AB A gelled oil composition containing an emulsifier, a gelling agent, an oil, and a surfactant which, when applied to the skin in the presence of water, produces a significant amount of foam. After the composition is rinsed from the

skin, a non-greasy, oil residue is left thereon. A foaming gel containing gelled mineral oil/copolymers (Geahlene 500) 64.4, cocamidopropyl di-Me betaine (Empigen BS-98) 15, iso-Pr palmitate 15, Laureth-3 (Volpo L3 special) 5, tocopherol acetate 0.1, and other ingredients q.s. to 100 % was formulated to examine its foaming quality and after-feeling.

L9 ANSWER 12 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2000:900207 CAPLUS

DOCUMENT NUMBER: 134:61215

TITLE: Lipid and detergent-containing topical formulations comprising vesicle delivery systems

INVENTOR(S): Niemiec, Susan M.; Nystrand, Glenn A.; Wang, Jonas C. T.; Ho, Kie L.

PATENT ASSIGNEE(S): Johnson & Johnson Consumer Products, Inc., USA

SOURCE: Eur. Pat. Appl., 41 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1060732	A2	20001220	EP 2000-304542	20000526 <--
EP 1060732	A3	20011212		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
IN 2000CA00298	A	20050610	IN 2000-CA298	20000523 <--
CA 2309373	A1	20001127	CA 2000-2309373	20000524 <--
JP 2001019634	A	20010123	JP 2000-157251	20000526 <--
CN 1285186	A	20010228	CN 2000-117689	20000526 <--
BR 2000002285	A	20010123	BR 2000-2285	20000529 <--
PRIORITY APPLN. INFO.:			US 1999-320894	A 19990527 <--

AB This invention relates to a method for enhancing the transmembrane and/or topical penetration of pharmacol. active substances using a certain vesicle delivery system as an enhancing agent, and an optional detergent, as well as the compns. used therein. Various active agents, such as hair growth agents, hair inhibitor agents, anti-acne agents, depilatory agents, antiaging agents, and depigmentation agents, may be effectively delivered into the skin, hair follicles and sebaceous glands using the compns. of the present invention. For example, liposome delivery systems were prepared containing as a lipid phase glyceryl distearate 33.13-40.91, cholesterol 11.04-13.64, polyoxyethylene-10-stearyl ether 29.44-36.36, di(soyoylethyl) hydroxyethylammonium methosulfate 0-19.03, and elubiol 7.36-9.09 parts, and as an aqueous phase zinc pyrithione 0-8.57, salicylic acid 0-25.07, and distilled water 74.93-100 parts, resp.

L9 ANSWER 13 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2000:456837 CAPLUS

DOCUMENT NUMBER: 133:94281

TITLE: Skin care and protective compositions containing transfer agents and barrier materials

INVENTOR(S): Homola, Andrew M.; Dunton, Ronald K.; Pitts, Gary

PATENT ASSIGNEE(S): Four Star Partners, USA

SOURCE: PCT Int. Appl., 92 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
------------	------	------	-----------------	------

WO 2000038617 A2 20000706 WO 1999-US30003 19991223 <--
 WO 2000038617 A3 20000921
 W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU,
 CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL,
 IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA,
 MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI,
 SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM,
 AZ, BY, KG, KZ, MD, RU, TJ, TM
 RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE,
 DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF,
 CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
 CA 2356840 A1 20000706 CA 1999-2356840 19991223 <--
 EP 1139981 A2 20011010 EP 1999-968903 19991223 <--
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
 IE, SI, LT, LV, FI, RO

PRIORITY APPLN. INFO.: US 1998-113950P P 19981224 <--
 US 1999-117283P P 19990126 <--
 WO 1999-US30003 W 19991223 <--

AB The present invention discloses compns. containing a one or more transfer agents and one or more barrier materials which form, upon application to a substrate, even a wet substrate or substrate immersed under water, adhesive, protective barriers. The compns. may be modified to provide an appropriate viscosity and other characteristics and may serve as a carrier for active agents.

L9 ANSWER 14 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2000:116928 CAPLUS
 DOCUMENT NUMBER: 132:171116
 TITLE: Topical delivery systems for active agents
 INVENTOR(S): Niemiec, Susan M.; Wang, Jonas C. T.; Wisniewski, Stephen J.; Stenn, Kurt S.; Lu, Gwang Wei
 PATENT ASSIGNEE(S): Johnson & Johnson Consumer Companies, Inc., USA
 SOURCE: PCT Int. Appl., 56 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000007627	A2	20000217	WO 1999-US17387	19990802 <--
WO 2000007627	A3	20000817		
W:			AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW	
RW:			GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG	
US 6284234	B1	20010904	US 1999-360412	19990723 <--
CA 2339231	A1	20000217	CA 1999-2339231	19990802 <--
AU 9956695	A	20000228	AU 1999-56695	19990802 <--
EP 1104280	A2	20010606	EP 1999-943639	19990802 <--
R:			AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO	
JP 2003521452	T	20030715	JP 2000-563309	19990802 <--
TW 257310	B	20060701	TW 1999-88113282	19990818 <--
US 2002048558	A1	20020425	US 2001-916019	20010726 <--
US 6419913	B2	20020716		
PRIORITY APPLN. INFO.:			US 1998-95289P	P 19980804 <--
			US 1999-363412	A 19990723 <--
			US 1999-360412	A 19990723 <--

AB This invention relates to a method for enhancing the transmembrane penetration of active agents using a nonionic lipid/surfactant-containing formulation as an enhancing agent. Various active agents, such as anti-dandruff agents, hair growth agents, hair inhibitor agents, anti-acne agents, anti-aging agents, depilatory agents, and depigmentation agents, may be effectively delivered into the skin, hair follicles and sebaceous glands using the compns. of the present invention. Thus, minoxidil (0.4 g) was dissolved in 4 mL propylene glycol and 12 mL EtOH to give a formulation containing 2%(weight/volume) minoxidil. DL-lactic acid (360 µL) and 0.626g sodium sulfate were added to the above formulation.

L9 ANSWER 15 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1996:687434 CAPLUS
 DOCUMENT NUMBER: 125:308711
 TITLE: Skin care products containing anti-itching/anti-irritant agents
 INVENTOR(S): Ramachandran, Pallassana N.; Robbins, Clarence R.; Patel, Amrit M.
 PATENT ASSIGNEE(S): Colgate-Palmolive Company, USA
 SOURCE: PCT Int. Appl., 29 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9629983	A1	19961003	WO 1996-US3821	19960321 <--
W: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TT				
RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
TW 449485	B	20010811	TW 1995-84106353	19950621 <--
US 5834409	A	19981110	US 1996-598411	19960208 <--
AU 9653185	A	19961016	AU 1996-53185	19960321 <--
BR 9607952	A	19980714	BR 1996-7952	19960321 <--
ZA 9602501	A	19970929	ZA 1996-2501	19960328 <--
PRIORITY APPLN. INFO.:			US 1995-411883	A 19950331 <--
			WO 1996-US3821	W 19960321 <--

AB Mild aqueous detergent, e.g., shampoo, compns. are disclosed based on a mixture comprising anionic surfactant and amphoteric surfactant, such as betaines, at a level of 0.75-1.25 parts/weight part of anionic surfactant. The compns. also contain climbazole and/or other therapeutic agents such as salicylic acid. The combination of mild surfactant system and therapeutic agent prevent or treat mild skin disorders such as scalp itch, scalp irritation, and dry skin when applied as a shampoo, and promotes the natural secretion of sebum. Thus, a shampoo contained Coco Amidopropylbetaine Number 3 30.0, deionized water 25.0, Na deceth sulfate 15.0, ammonium lauryl sulfate 12.0, Na cumenesulfonate 5.0, C30-40 fatty alc. 4.0, di-Me polysiloxane 3.5, distearyltrimethylammonium chloride 1.0, preservative 1.0, isosteareth 0.8, perfume 0.75, hydroxyethylcellulose 0.6, climbazole 0.5, Polyquaternium 0.35, Na2HPO4 0.2, EDTA 0.1, and colorant 0.013 weight%.

L9 ANSWER 16 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1994:123941 CAPLUS
 DOCUMENT NUMBER: 120:123941
 TITLE: The biological activity of selenium sulfide

AUTHOR(S): Mitchell, S. C.; Nickson, R. M.; Waring, R. H.
 CORPORATE SOURCE: Med. Sch., St. Mary's Hosp., London, W2 1PG, UK
 SOURCE: Sulfur Reports (1993), 13(2), 279-92
 CODEN: SUREDW; ISSN: 0196-1772
 DOCUMENT TYPE: Journal; General Review
 LANGUAGE: English
 AB A review with 106 refs. The history of selenium sulfide and its chemical nature as a discrete compound are discussed together with its uses within the medical field of dermatol. Evidence for its effects on biol. systems are presented and potential mechanisms of action via its antimicrobial activity, effects on cell growth and its role as a catalyst in the enhancement of the activity of sulfur are critically reviewed.

L9 ANSWER 17 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1988:616035 CAPLUS
 DOCUMENT NUMBER: 109:216035
 TITLE: Hydroxycarboxylic acids as additives enhancing topical actions of therapeutic agents
 INVENTOR(S): Van Scott, Eugene J.
 PATENT ASSIGNEE(S): Yu, Ruey J., USA
 SOURCE: Eur. Pat. Appl., 23 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 6
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 273202	A2	19880706	EP 1987-117405	19871125 <--
EP 273202	A3	19900606		
EP 273202	B1	19950621		
R: DE, ES, FR, GB, IT				
AU 8779986	A	19880623	AU 1987-79986	19871021 <--
AU 618517	B2	19920102		
CA 1324077	C	19931109	CA 1987-549964	19871022 <--
JP 63166837	A	19880711	JP 1987-280275	19871105 <--
JP 2533339	B2	19960911		
EP 599819	A2	19940601	EP 1994-102151	19871125 <--
EP 599819	A3	19940727		
EP 599819	B1	19970402		
R: DE, ES, FR, GB, IT				
ES 2074978	T3	19951001	ES 1987-117405	19871125 <--
EP 770399	A2	19970502	EP 1997-100470	19871125 <--
R: DE, ES, FR, GB, IT				
ES 2103506	T3	19970916	ES 1994-102151	19871125 <--
JP 04506634	T	19921119	JP 1991-505539	19910121 <--
JP 3016588	B2	20000306		
AU 9213943	A	19920528	AU 1992-13943	19920331 <--
AU 654850	B2	19941124		
US 5385938	B1	19920807	US 1992-925877	19920807 <--
US 5385938	A	19950131		
CA 1340120	C	19981110	CA 1992-616460	19920810 <--
US 5091171	B1	19950926	US 1992-90002911	19921217 <--
US 5665776	A	19970909	US 1993-8223	19930122 <--
US 5389677	A	19950214	US 1993-89101	19930712 <--
US 5389677	B1	19970715		
US 5702688	A	19971230	US 1993-135841	19931007 <--
US 5422370	A	19950606	US 1994-179189	19940110 <--
US 5422370	B1	19970715		
US 5470880	A	19951128	US 1994-179190	19940110 <--
US 5550154	A	19960827	US 1995-463235	19950605 <--
US 5561159	A	19961001	US 1995-463062	19950605 <--

US 5561155	A	19961001	US 1995-464071	19950605 <--
US 5589505	A	19961231	US 1995-463724	19950605 <--
US 5591774	A	19970107	US 1995-463063	19950605 <--
US 5668177	A	19970916	US 1995-464500	19950605 <--
US 5670541	A	19970923	US 1995-464475	19950605 <--
US 5550158	A	19960827	US 1995-471530	19950606 <--
US 5554651	A	19960910	US 1995-467894	19950606 <--
US 5556882	A	19960917	US 1995-467530	19950606 <--
US 5561156	A	19961001	US 1995-470433	19950606 <--
US 5561153	A	19961001	US 1995-470435	19950606 <--
US 5565487	A	19961015	US 1995-471528	19950606 <--
US 5571841	A	19961105	US 1995-470434	19950606 <--
US 5574067	A	19961112	US 1995-467001	19950606 <--
US 5578644	A	19961126	US 1995-471518	19950606 <--
US 5580902	A	19961203	US 1995-465699	19950606 <--
US 5583156	A	19961210	US 1995-467895	19950606 <--
US 5599843	A	19970204	US 1995-471529	19950606 <--
US 5612376	A	19970318	US 1995-465703	19950606 <--
US 5637615	A	19970610	US 1995-467153	19950606 <--
US 5643961	A	19970701	US 1995-466737	19950606 <--
US 5643962	A	19970701	US 1995-466740	19950606 <--
US 5643952	A	19970701	US 1995-466770	19950606 <--
US 5643953	A	19970701	US 1995-467156	19950606 <--
US 5643963	A	19970701	US 1995-471523	19950606 <--
US 5648395	A	19970715	US 1995-466739	19950606 <--
US 5648391	A	19970715	US 1995-469812	19950606 <--
US 5648388	A	19970715	US 1995-471511	19950606 <--
US 5650436	A	19970722	US 1995-467134	19950606 <--
US 5650437	A	19970722	US 1995-470060	19950606 <--
US 5650440	A	19970722	US 1995-471513	19950606 <--
US 5652267	A	19970729	US 1995-469814	19950606 <--
US 5654340	A	19970805	US 1995-467989	19950606 <--
US 5656665	A	19970812	US 1995-466771	19950606 <--
US 5656666	A	19970812	US 1995-470829	19950606 <--
US 5670542	A	19970923	US 1995-465700	19950606 <--
US 5670543	A	19970923	US 1995-471521	19950606 <--
US 5674899	A	19971007	US 1995-465704	19950606 <--
US 5674903	A	19971007	US 1995-468079	19950606 <--
US 5677339	A	19971014	US 1995-466820	19950606 <--
US 5677340	A	19971014	US 1995-468077	19950606 <--
US 5716992	A	19980210	US 1995-469811	19950606 <--
US 5827882	A	19981027	US 1995-465695	19950606 <--
US 5554652	A	19960910	US 1995-487685	19950607 <--
US 5554654	A	19960910	US 1995-487692	19950607 <--
US 5561157	A	19961001	US 1995-472318	19950607 <--
US 5571837	A	19961105	US 1995-475685	19950607 <--
US 5621006	A	19970415	US 1995-472314	19950607 <--
US 5654336	A	19970805	US 1995-483328	19950607 <--
US 5681853	A	19971028	US 1995-472317	19950607 <--
US 5684044	A	19971104	US 1995-472315	19950607 <--
US 5690967	A	19971125	US 1995-472310	19950607 <--
US 5691378	A	19971125	US 1995-487684	19950607 <--
CA 1339706	C	19980310	CA 1995-617036	19951031 <--
US 5889054	A	19990330	US 1997-925063	19970908 <--
US 5962526	A	19991005	US 1997-926030	19970909 <--
US 5856357	A	19990105	US 1997-937008	19970924 <--
US 6060512	A	20000509	US 1998-185608	19981104 <--
US 6051609	A	20000418	US 1998-222997	19981230 <--
US 6384079	B1	20020507	US 1999-224949	19990104 <--
US 6191167	B1	20010220	US 1999-255702	19990223 <--
US 2003083380	A1	20030501	US 2000-729981	20001206 <--
US 6767924	B2	20040727		
US 2001016604	A1	20010823	US 2001-774882	20010201 <--
US 2003017130	A1	20030123	US 2002-71345	20020208 <--

PRIORITY APPLN. INFO.:

US 1986-945680	A 19861223 <--
CA 1987-549964	A3 19871022 <--
EP 1987-117405	A3 19871125 <--
EP 1994-102151	A3 19871125 <--
US 1989-393749	A3 19890815 <--
US 1990-469738	B1 19900119 <--
US 1990-467958	A 19900122 <--
WO 1991-US412	W 19910121 <--
US 1991-683437	B1 19910410 <--
US 1991-812858	B1 19911223 <--
US 1992-840149	B1 19920224 <--
CA 1992-616460	A3 19920810 <--
US 1992-936863	B1 19920827 <--
US 1993-8112	A3 19930122 <--
US 1993-8223	A3 19930122 <--
US 1993-89101	A1 19930712 <--
US 1993-117559	B1 19930907 <--
US 1993-135841	A1 19931007 <--
US 1994-179190	A1 19940110 <--
US 1994-359939	A1 19941220 <--
US 1995-478524	A1 19950607 <--
US 1995-487684	A1 19950607 <--
US 1997-926030	A1 19970909 <--
US 1997-998864	A1 19971229 <--
US 1997-998871	A3 19971229 <--
US 1998-185608	A1 19981104 <--
US 1998-222997	A1 19981230 <--
US 2000-510368	B1 20000222 <--
US 2000-513225	B1 20000225 <--
US 2001-774882	A1 20010201 <--

OTHER SOURCE(S): MARPAT 109:216035

AB Hydroxycarboxylic acids and related ketocarboxylic acids, esters, lactones or salts enhance the therapeutic effect of topical drugs and cosmetics. Addition of 10% lactic acid strongly improved the antipsoriatic effect of topically-applied 3% thionicotinamide, in humans. A composition for prevention and treatment of oily skin comprised erythromycin 2 g aleuritic acid 2 g, EtOH 50 mL, water 40 mL and propylene glycol 6 mL.

L9 ANSWER 18 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1983:410733 CAPLUS

DOCUMENT NUMBER: 99:10733

TITLE: OTC drug products for the control of dandruff, seborrheic dermatitis, and psoriasis; establishment of a monograph

CORPORATE SOURCE: United States Food and Drug Administration, Rockville, MD, 20857, USA

SOURCE: Federal Register (1982), 47(233), 54646-84, 3 Dec 1982

CODEN: FEREAC; ISSN: 0097-6326

DOCUMENT TYPE: Journal

LANGUAGE: German

AB The similarities and differences between dandruff, cradle cap, seborrheic dermatitis, and psoriasis are discussed, and ingredients of over-the-counter (OTC) preps. used for treating those disorders are tabulated. Based on an extensive survey of the literature, the following ingredients are considered to be both safe and effective coal tar preps. (coal tar, and its distillate, extract, and solution) in shampoos for control of

dandruff and seborrheic dermatitis and psoriasis of the scalp; salicylic acid [69-72-7] for control of dandruff and seborrheic dermatitis and psoriasis of the body and scalp; SeS2 for topical control of dandruff; S for topical control of dandruff; zinc pyrithione [13463-41-7] for controlling dandruff and seborrheic dermatitis of the scalp. Information is given on components considered to be safe but ineffective and those for

which insufficient data are available. Labeling requirements are proposed under the Federal Food, Drug, and Cosmetic Act.

L9 ANSWER 19 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1939:9595 CAPLUS
DOCUMENT NUMBER: 33:9595
ORIGINAL REFERENCE NO.: 33:1451c-d,1452a
TITLE: Solutions of sulfur and sulfides
INVENTOR(S): MacKnachf, Heinrich
DOCUMENT TYPE: Patent
LANGUAGE: Unavailable
FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----
GB 492412		19380920	GB 1937-18369	19370701 <--
AB	Aqueous or alc. solns. of S or of the sulfides of As, Sb or Se are prepared by dissolving them in benzylamine or a hydrogenated aromatic amine, e. g., cyclohexylamine, piperidine, and adding such solution to aqueous or alc. solns. containing a cyclohexylamineolein soap, K or other alkali salt of oleic acid, a fatty alc. sulfonate, Turkey-red oil or triethanolamine. The solns. may be used as cosmetics, external remedies, hair lotions or horticultural sprays for which last purpose they may be mixed with nicotine or pyrethrum.			

L9 ANSWER 20 OF 23 BIOSIS COPYRIGHT (c) 2007 The Thomson Corporation on STN

ACCESSION NUMBER: 1991:234987 BIOSIS
DOCUMENT NUMBER: PREV199140109152; BR40:109152
TITLE: THE CONTROL OF SEBORRHEIC DERMATITIS AND DANDRUFF BY ANTIPITYROSPORAL DRUGS.
AUTHOR(S): MCGRATH J [Reprint author]; MURPHY G M
CORPORATE SOURCE: INST DERMATOL, ST THOMAS' HOSP, LONDON SE1 7EH, ENGL, UK
SOURCE: Drugs, (1991) Vol. 41, No. 2, pp. 178-184.
CODEN: DRUGAY. ISSN: 0012-6667.
DOCUMENT TYPE: Article
FILE SEGMENT: BR
LANGUAGE: ENGLISH
ENTRY DATE: Entered STN: 21 May 1991
Last Updated on STN: 16 Jul 1991

L9 ANSWER 21 OF 23 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 1999402474 EMBASE
TITLE: Goodbye, managed care; hello, skin care
AUTHOR: Sarnoff D.S.
CORPORATE SOURCE: Dr. D.S. Sarnoff, 625 Park Ave, New York, NY 10021, United States
SOURCE: Archives of Dermatology, (1999) Vol. 135, No. 11, pp. 1308-1310. .
Refs: 5
ISSN: 0003-987X CODEN: ARDEAC
COUNTRY: United States
DOCUMENT TYPE: Journal; (Short Survey)
FILE SEGMENT: 013 Dermatology and Venereology
017 Public Health, Social Medicine and Epidemiology
027 Biophysics, Bioengineering and Medical Instrumentation
036 Health Policy, Economics and Management
037 Drug Literature Index
LANGUAGE: English
SUMMARY LANGUAGE: English

ENTRY DATE: Entered STN: 10 Dec 1999
Last Updated on STN: 10 Dec 1999

AB Latest Joke: I hereby decree that from this day forward I'm dropping MD from after my name. I admit the idea is not entirely original. My esteemed and much admired colleague Dr Naomi Bluestone, a role model for women in medicine and formerly a psychiatrist, was way ahead of her time. In 1993, she was the first physician to formally report on the benefits of dropping MD from after her name. Today, she is a happy faith healer, sex counselor, and psychic advisor with a loyal clientele. She still helps people with their psychological health and emotional well-being, but now is completely free of bureaucratic red tape, governmental control, and managed care.

L9 ANSWER 22 OF 23 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 1998352171 EMBASE
TITLE: [Yesterday's dermatological agents: A critical review].
DERMATOLOGISCHE WIRKSTOFFE VON GESTERN.
AUTHOR: Nurnberg W.; Nurnberg E.; Schulz C.
CORPORATE SOURCE: Dr. W. Nurnberg, Ostseeklinik Kuhlungsborn, Zentrum, Dermatologie, Allergologie, Padiatrie/Pulmologie, Waldstrasse 51, 18225 Kuhlungsborn, Germany
SOURCE: Deutsche Apotheker Zeitung, (15 Oct 1998) Vol. 138, No. 42, pp. 47-55. .
Refs: 2
ISSN: 0011-9857 CODEN: DAZE2
COUNTRY: Germany
DOCUMENT TYPE: Journal; (Short Survey)
FILE SEGMENT: 013 Dermatology and Venereology
030 Pharmacology
037 Drug Literature Index
LANGUAGE: German
SUMMARY LANGUAGE: German
ENTRY DATE: Entered STN: 9 Nov 1998
Last Updated on STN: 9 Nov 1998
DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L9 ANSWER 23 OF 23 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 95240838 EMBASE
DOCUMENT NUMBER: 1995240838
TITLE: Treating dandruff and seborrhea.
AUTHOR: DeSimone II E.M.; McCracken G.
CORPORATE SOURCE: Sch. of Pharmacy/Allied Health Prof., Creighton University, Omaha, NE, United States
SOURCE: U.S. Pharmacist, (1995) Vol. 20, No. 4, pp. 26+28+30. .
ISSN: 0148-4818 CODEN: USPHD5
COUNTRY: United States
DOCUMENT TYPE: Journal; Article
FILE SEGMENT: 013 Dermatology and Venereology
037 Drug Literature Index
LANGUAGE: English
SUMMARY LANGUAGE: English
ENTRY DATE: Entered STN: 30 Aug 1995
Last Updated on STN: 30 Aug 1995

AB Millions of Americans suffer from dandruff and seborrheic dermatitis. These may be seen as primarily cosmetic disorders, but there can be considerable embarrassment associated with them. A wide variety of effective nonprescription products, especially shampoos, are available for treatment. For most patients, control can be obtained in as little as 2 weeks of use with follow-up applications every 1 to 2 weeks thereafter. Side effects are extremely minimal.

=> s VASELINE
L10 6113 VASELINE

=> s L8 and L10
L11 1 L8 AND L10

=> d L11 ibib abs

L11 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2004:610054 CAPLUS
DOCUMENT NUMBER: 141:162353
TITLE: Transdermal patch comprising antiviral and other agents
INVENTOR(S): Rolf, David
PATENT ASSIGNEE(S): Lectec Corporation, USA
SOURCE: PCT Int. Appl., 144 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004062600	A2	20040729	WO 2004-US392	20040108
WO 2004062600	A3	20041104		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ				
US 2007026056	A1	20070201	US 2006-535214	20060926 <--
PRIORITY APPLN. INFO.:			US 2003-338809	A 20030108
			US 2000-688445	B2 20001016 <--

AB An adhesive patch is provided wherein the patch includes a porous backing having a front side and a back side. The patch also includes a therapeutic formulation located on the front side of the backing. The backing includes a flexible sheet of water insol. porous material. The therapeutic formulation includes a combination of an antiviral agent useful for treating a viral infection in a mammal, e.g., human, a medicament that relieves topical discomfort, an adhesive, and a solvent. The solvent can preferably include a fragrance. The composition further comprises an antimicrobial, analgesic, anesthetic, and antipruritic agents. For example, a therapeutic formulation for adhesive patches contained (by weight) adhesives 10.00, Aloe vera, 10X 0.50%, menthol 0.50%, vaseline fragrance 2.00%, glycerin 44.27%, karaya gum 26.90%, benzocaine 5.00%, acyclovir 2.00%, triethylene glycol 5.00%, Quat-15 0.03%, vitamin E acetate 0.30%, and water 3.50%.

=> s ketoconazole
L12 32205 KETOCONAZOLE

=> s L8 and L12
L13 28 L8 AND L12

=> s pyrithione zinc or zinc pyrithione
L14 1305 PYRITHIONE ZINC OR ZINC PYRITHIONE

=> s L13 and L14
L15 17 L13 AND L14

=> dup rem L15
PROCESSING COMPLETED FOR L15

L16 17 DUP REM L15 (0 DUPLICATES REMOVED)

=> s L15 and (AY<2002 or PY<2002 or PRY<2002)

'2002' NOT A VALID FIELD CODE

'2002' NOT A VALID FIELD CODE

2 FILES SEARCHED...

'2002' NOT A VALID FIELD CODE

'2002' NOT A VALID FIELD CODE

'2002' NOT A VALID FIELD CODE

'2002' NOT A VALID FIELD CODE

L17 17 L15 AND (AY<2002 OR PY<2002 OR PRY<2002)

=> d 1-17 ibib abs

L17 ANSWER 1 OF 17 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:36535 CAPLUS

DOCUMENT NUMBER: 142:120183

TITLE: Foaming make-up removing cleansing compositions
containing water dispersible components and foaming
surfactants and propoxylated fatty alcohols

INVENTOR(S): Lukenbach, Elvin R.; Coret, Catherine

PATENT ASSIGNEE(S): USA

SOURCE: U.S. Pat. Appl. Publ., 14 pp., Cont.-in-part of U.S.
Ser. No. 604,449.

CODEN: USXXCO

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 4

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2005009717	A1	20050113	US 2004-862634	20040607 <--
WO 2001001949	A1	20010111	WO 2000-US17431	20000623 <--
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
US 7074747	B1	20060711	US 2000-604449	20000627 <--
US 2004167046	A1	20040826	US 2004-776420	20040211 <--
AU 2006202708	A1	20060720	AU 2006-202708	20060623 <--
PRIORITY APPLN. INFO.:			US 1999-141927P	P 19990701 <--
			WO 2000-US17431	A 20000623 <--
			US 2000-604449	A2 20000627 <--
			AU 2001-97359	A3 20011221 <--

AB The present invention relates to cleansing compns. suitable for use in personal cleansing applications, and in particular make-up removal applications, which impart superior cleansing properties and are comprised of a liquid, water-insol. propoxylated fatty alc., water dispersible components, water, and foaming surfactants. Also disclosed are compns. for effectively depositing various benefit agents into and onto the skin. For example, a foaming facial cleanser contained disodium EDTA 0.1, Glycerin 917 3.0, Rhodicare T 0.1, Monateric 949J 8.0, Tegobetaine L7 7.0, Rhodacal A-246L 6.0, Glycerox 767 1.0, Crodesta SL40 1.0, hexylene glycol 1.0, Phenonip 1.0, Tween 20 2.0, Aquafleur Mod A 0.3, Arlasove 200 0.9, citric acid 1.0 and water 65.9%.

L17 ANSWER 2 OF 17 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2003:971738 CAPLUS

DOCUMENT NUMBER: 140:23273
 TITLE: N-Acetyl cysteine and its topical use
 INVENTOR(S): Yu, Ruey J.; Van Scott, Eugene J.
 PATENT ASSIGNEE(S): USA
 SOURCE: U.S. Pat. Appl. Publ., 8 pp., Cont.-in-part of U.S. Pat. Appl. 2003 198,656.
 CODEN: USXXCO
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 3
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2003229141	A1	20031211	US 2003-462885	20030617 <--
US 6159485	A	20001212	US 1999-227213	19990108 <--
EP 1570840	A2	20050907	EP 2004-29094	20000107 <--
EP 1570840	A3	20051116		
R: DE, ES, FR, GB, IT				
EP 1639994	A2	20060329	EP 2005-18302	20000107 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI, CY				
US 6524593	B1	20030225	US 2000-560901	20000428 <--
US 2003198656	A1	20031023	US 2003-371504	20030221 <--
US 6808716	B2	20041026		

PRIORITY APPLN. INFO.:
 US 1999-227213 A1 19990108 <--
 US 2000-560901 A2 20000428 <--
 US 2003-371504 A2 20030221
 EP 2000-902347 A3 20000107 <--

AB Methods to alleviate or improve various cosmetic conditions and dermatol. disorders, including changes or damage to skin, nail and hair associated with intrinsic aging and/or extrinsic aging, as well as changes or damage caused by extrinsic factors using compns. comprising N-acetyl-cysteine (isomeric or non-isomeric forms) and/or free acid, salt, lactone, amide or ester forms of N-acetyl-cysteine are described. The methods provided may also comprise application of a composition further containing various cosmetic, pharmaceutical or other topical agents to enhance or create synergetic effects.

L17 ANSWER 3 OF 17 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2002:221199 CAPLUS
 DOCUMENT NUMBER: 136:267913
 TITLE: Personal care compositions containing one ester and a water dispersible component
 INVENTOR(S): Lukenbach, Elvin R.; Kaminski, Claudia; Pascal-Suisse, Sandrine; Tahar, Maurice; Ruggiero, Monica
 PATENT ASSIGNEE(S): Johnson & Johnson Consumer Companies, Inc., USA
 SOURCE: U.S. Pat. Appl. Publ., 26 pp., Cont.-in-part of U. S. Ser. No. 604,563.
 CODEN: USXXCO
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 4
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2002035046	A1	20020321	US 2000-745270	20001221 <--
US 6762158	B2	20040713		
WO 2001001949	A1	20010111	WO 2000-US17431	20000623 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU,				

SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU,
 ZA, ZW
 RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
 DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ,
 CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
 CA 2365818 A1 20020621 CA 2001-2365818 20011221 <--
 EP 1216685 A2 20020626 EP 2001-310796 20011221 <--
 EP 1216685 A3 20040331
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
 IE, SI, LT, LV, FI, RO, MK, CY, AL, TR
 AU 2001097359 A5 20020627 AU 2001-97359 20011221 <--
 CN 1366874 A 20020904 CN 2001-125342 20011221 <--
 JP 2002322045 A 20021108 JP 2001-402978 20011221 <--
 BR 2001006909 A 20031014 BR 2001-6909 20011221 <--
 AU 2006202708 A1 20060720 AU 2006-202708 20060623 <--
 PRIORITY APPLN. INFO.: US 1999-141927P P 19990701 <--
 WO 2000-US17431 W 20000623 <--
 US 2000-604563 A2 20000627 <--
 US 2000-745270 A 20001221 <--
 AU 2001-97359 A3 20011221 <--

AB Personal care compns. suitable for use in skin care applications, which effectively deliver and/or deposit various benefit agents into and onto the skin and which are relatively non-irritating and thus suitable for use by people having sensitive skin and eyes comprise at least one ester and a water dispersible component. A lipophilic phase was prepared containing isostearyl palmitate, isononyl isononanoate, cetyl octanoate, pentaerythritol tetraoctanoate, and cyclomethicone, and a hydrophilic phase was prepared containing water, Carbopol Ultrez, Crodesta SL-40, Glycerol 767, hexylene glycol, methylparaben, and propylparaben, and a NaOH solution was added to the hydrophilic phase with stirring and the lipophilic phase was then added.

REFERENCE COUNT: 84 THERE ARE 84 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L17 ANSWER 4 OF 17 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2002:89795 CAPLUS
 DOCUMENT NUMBER: 136:139843
 TITLE: Method of regulating hair growth using metal complexes of oxidized carbohydrates
 INVENTOR(S): Gardlik, John Michael; Severynse-Stevens, Diana; Comstock, Bryan Gabriel
 PATENT ASSIGNEE(S): The Procter & Gamble Company, USA
 SOURCE: PCT Int. Appl., 46 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002007685	A2	20020131	WO 2001-US23424	20010725 <--
WO 2002007685	A8	20031030		
WO 2002007685	A3	20020829		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			

US 2002035070	A1	20020321	US 2001-909441	20010719 <--
AU 2001080779	A5	20020205	AU 2001-80779	20010725 <--
PRIORITY APPLN. INFO.:			US 2000-220755P	P 20000726 <--
			WO 2001-US23424	W 20010725 <--

AB A method for regulating the growth of hair comprising administering to a mammal, an effective amount of a composition comprising: (a) about 0.001-99.9%, by weight, of at least one metal complex of an oxidized carbohydrate, wherein the metal complex of an oxidized carbohydrate is neither zinc gluconate nor manganese gluconate; and (b) about 0.1-99.999%, by weight, of a vehicle. The composition is administered orally, parenterally, or topically. For example, a topical composition contained zinc lactobionate 5.0%, zinc gluconate 1.0%, zinc pyrithione 1.0%, Tween 20 1.0%, propylene glycol 10.0%, dimethylisosorbide 18.0%, EtOH 30.0%, and water and minors up to 100%. Also, tablets were prepared containing zinc lactobionate 100 mg, Crospovidone 15 mg, lactose 200 mg, microcryst. cellulose 80 mg, and magnesium stearate 5 mg.

L17 ANSWER 5 OF 17 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2001:31299 CAPLUS
DOCUMENT NUMBER: 134:105631
TITLE: Cleansing compositions containing esters and silicones
INVENTOR(S): Lukenbach, Elvin R.; Kaminski, Claudia; Pascal-Suisse, Sandrine; Tahar, Maurice
PATENT ASSIGNEE(S): Johnson and Johnson Consumer Companies, Inc., USA
SOURCE: PCT Int. Appl., 70 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 4
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001001949	A1	20010111	WO 2000-US17431	20000623 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 2002035046	A1	20020321	US 2000-745270	20001221 <--
US 6762158	B2	20040713		
US 2005009717	A1	20050113	US 2004-862634	20040607 <--
AU 2006202708	A1	20060720	AU 2006-202708	20060623 <--
PRIORITY APPLN. INFO.:			US 1999-141927P	P 19990701 <--
			WO 2000-US17431	W 20000623 <--
			US 2000-604449	A2 20000627 <--
			US 2000-604563	A2 20000627 <--
			AU 2001-97359	A3 20011221 <--

AB Cleansing compns. suitable for use in personal cleansing applications, and in particular make-up removal applications, which not only impart superior cleansing properties, but also which are relatively non-irritating and thus suitable for use by people having sensitive skin and eyes, comprise esters, liquid silicones, and a water dispersible components. Also disclosed are compns. for effectively depositing various benefit agents into and onto the skin. Thus, a composition contained Arlacel P-135 1.1, Wickenol 3.0, Hallstar AB 3.0, Dow 344 Fluid 3.0, Retinol-50C 0.69, Carbopol Ultrez, Trivasol BW 1.0, methylparaben 0.20, propylparaben 0.10, Pelemol TIPC 1.0, NaOH 0.190, and water 86.320% by weight

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L17 ANSWER 6 OF 17 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2001:31287 CAPLUS
DOCUMENT NUMBER: 134:105670
TITLE: Pharmaceutical and cosmetic compositions containing oligosaccharide aldonic acids and their topical use
INVENTOR(S): Yu, Ruey J.; Van Scott, Eugene J.
PATENT ASSIGNEE(S): USA
SOURCE: PCT Int. Appl., 86 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001001932	A2	20010111	WO 2000-US16301	20000628 <--
WO 2001001932	A3	20010517		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
US 6335023	B1	20020101	US 2000-487228	20000119 <--
CA 2373852	A1	20010111	CA 2000-2373852	20000628 <--
BR 2000011640	A	20020514	BR 2000-11640	20000628 <--
EP 1227820	A2	20020807	EP 2000-950220	20000628 <--
EP 1227820	B1	20060419		
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL			
JP 2003503436	T	20030128	JP 2001-507430	20000628 <--
AU 775620	B2	20040805	AU 2000-63353	20000628 <--
CN 1635864	A	20050706	CN 2000-809776	20000628 <--
AT 323498	T	20060515	AT 2000-950220	20000628 <--
EP 1685843	A1	20060802	EP 2006-6895	20000628 <--
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI, CY			
PT 1227820	T	20060831	PT 2000-950220	20000628 <--
US 2002028227	A1	20020307	US 2001-987023	20011113 <--
US 6740327	B2	20040525		
HK 1048764	A1	20060915	HK 2003-100874	20030206 <--
US 2004180854	A1	20040916	US 2004-811998	20040330 <--
AU 2004212601	A1	20041014	AU 2004-212601	20040920 <--
JP 2005232180	A	20050902	JP 2005-74658	20050316 <--
PRIORITY APPLN. INFO.:			US 1999-141264P	P 19990630 <--
			US 2000-487228	A 20000119 <--
			EP 2000-950220	A3 20000628 <--
			JP 2001-507430	A3 20000628 <--
			WO 2000-US16301	W 20000628 <--
			US 2001-987023	A1 20011113 <--

OTHER SOURCE(S): MARPAT 134:105670

AB Compns. comprising oligosaccharide aldonic acids are useful for general care, as well as for treatment and prevention, of various cosmetic conditions and dermatol. disorders, including those associated with intrinsic and/or extrinsic aging, as well as with changes or damage caused by extrinsic factors; general care, as well as treatment and prevention of diseases and conditions, of the oral, and vaginal mucosa; for general oral care, as well as treatment and prevention of oral and gum diseases; and for wound healing of the skin. Compns. comprising oligosaccharide aldonic

acids may further comprise a cosmetic, pharmaceutical or other topical agent to enhance or create synergetic effects. A cream was prepared by mixing 50 g of 50% maltobionic acid with 50 g oil-in-water base, pH = 1.7. Efficacy of topical maltobionic acid in treatment of dry skin is reported.

L17 ANSWER 7 OF 17 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2000:900207 CAPLUS
DOCUMENT NUMBER: 134:61215
TITLE: Lipid and detergent-containing topical formulations comprising vesicle delivery systems
INVENTOR(S): Niemiec, Susan M.; Nystrand, Glenn A.; Wang, Jonas C. T.; Ho, Kie L.
PATENT ASSIGNEE(S): Johnson & Johnson Consumer Products, Inc., USA
SOURCE: Eur. Pat. Appl., 41 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1060732	A2	20001220	EP 2000-304542	20000526 <--
EP 1060732	A3	20011212		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
IN 2000CA00298	A	20050610	IN 2000-CA298	20000523 <--
CA 2309373	A1	20001127	CA 2000-2309373	20000524 <--
JP 2001019634	A	20010123	JP 2000-157251	20000526 <--
CN 1285186	A	20010228	CN 2000-117689	20000526 <--
BR 2000002285	A	20010123	BR 2000-2285	20000529 <--
PRIORITY APPLN. INFO.:			US 1999-320894	A 19990527 <--

AB This invention relates to a method for enhancing the transmembrane and/or topical penetration of pharmacol. active substances using a certain vesicle delivery system as an enhancing agent, and an optional detergent, as well as the comps. used therein. Various active agents, such as hair growth agents, hair inhibitor agents, anti-acne agents, depilatory agents, antiaging agents, and depigmentation agents, may be effectively delivered into the skin, hair follicles and sebaceous glands using the comps. of the present invention. For example, liposome delivery systems were prepared containing as a lipid phase glyceryl distearate 33.13-40.91, cholesterol 11.04-13.64, polyoxyethylene-10-stearyl ether 29.44-36.36, di(soyoylethyl) hydroxyethylammonium methosulfate 0-19.03, and elubiol 7.36-9.09 parts, and as an aqueous phase zinc pyrithione 0-8.57, salicylic acid 0-25.07, and distilled water 74.93-100 parts, resp.

L17 ANSWER 8 OF 17 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2000:116928 CAPLUS
DOCUMENT NUMBER: 132:171116
TITLE: Topical delivery systems for active agents
INVENTOR(S): Niemiec, Susan M.; Wang, Jonas C. T.; Wisniewski, Stephen J.; Stenn, Kurt S.; Lu, Gwang Wei
PATENT ASSIGNEE(S): Johnson & Johnson Consumer Companies, Inc., USA
SOURCE: PCT Int. Appl., 56 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000007627	A2	20000217	WO 1999-US17387	19990802 <--
WO 2000007627	A3	20000817		

W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW
 RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG

US 6284234	B1	20010904	US 1999-360412	19990723 <--
CA 2339231	A1	20000217	CA 1999-2339231	19990802 <--
AU 9956695	A	20000228	AU 1999-56695	19990802 <--
EP 1104280	A2	20010606	EP 1999-943639	19990802 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
JP 2003521452	T	20030715	JP 2000-563309	19990802 <--
TW 257310	B	20060701	TW 1999-88113282	19990818 <--
US 2002048558	A1	20020425	US 2001-916019	20010726 <--
US 6419913	B2	20020716		

PRIORITY APPLN. INFO.:

US 1998-95289P	P	19980804 <--
US 1999-363412	A	19990723 <--
US 1999-360412	A	19990723 <--
WO 1999-US17387	W	19990802 <--

AB This invention relates to a method for enhancing the transmembrane penetration of active agents using a nonionic lipid/surfactant-containing formulation as an enhancing agent. Various active agents, such as anti-dandruff agents, hair growth agents, hair inhibitor agents, anti-acne agents, anti-aging agents, depilatory agents, and depigmentation agents, may be effectively delivered into the skin, hair follicles and sebaceous glands using the compns. of the present invention. Thus, minoxidil (0.4 g) was dissolved in 4 mL propylene glycol and 12 mL EtOH to give a formulation containing 2%(weight/volume) minoxidil. DL-lactic acid (360 µL)

and

0.626g sodium sulfate were added to the above formulation.

L17 ANSWER 9 OF 17 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1996:687434 CAPLUS

DOCUMENT NUMBER: 125:308711

TITLE: Skin care products containing anti-itching/anti-irritant agents

INVENTOR(S): Ramachandran, Pallassana N.; Robbins, Clarence R.; Patel, Amrit M.

PATENT ASSIGNEE(S): Colgate-Palmolive Company, USA

SOURCE: PCT Int. Appl., 29 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9629983	A1	19961003	WO 1996-US3821	19960321 <--
W: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TT				
RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
TW 449485	B	20010811	TW 1995-84106353	19950621 <--
US 5834409	A	19981110	US 1996-598411	19960208 <--
AU 9653185	A	19961016	AU 1996-53185	19960321 <--
BR 9607952	A	19980714	BR 1996-7952	19960321 <--
ZA 9602501	A	19970929	ZA 1996-2501	19960328 <--

PRIORITY APPLN. INFO.:

US 1995-411883

A 19950331 <--

WO 1996-US3821

W 19960321 <--

AB Mild aqueous detergent, e.g., shampoo, compns. are disclosed based on a mixture comprising anionic surfactant and amphoteric surfactant, such as betaines, at a level of 0.75-1.25 parts/weight part of anionic surfactant. The compns. also contain climbazole and/or other therapeutic agents such as salicylic acid. The combination of mild surfactant system and therapeutic agent prevent or treat mild skin disorders such as scalp itch, scalp irritation, and dry skin when applied as a shampoo, and promotes the natural secretion of sebum. Thus, a shampoo contained Coco Amidopropylbetaine Number 3 30.0, deionized water 25.0, Na deceth sulfate 15.0, ammonium lauryl sulfate 12.0, Na cumenesulfonate 5.0, C30-40 fatty alc. 4.0, di-Me polysiloxane 3.5, distearylmethylammonium chloride 1.0, preservative 1.0, isosteareth 0.8, perfume 0.75, hydroxyethylcellulose 0.6, climbazole 0.5, Polyquaternium 0.35, Na2HPO4 0.2, EDTA 0.1, and colorant 0.013 weight%.

L17 ANSWER 10 OF 17 BIOSIS COPYRIGHT (c) 2007 The Thomson Corporation on STN

ACCESSION NUMBER: 1991:234987 BIOSIS
DOCUMENT NUMBER: PREV199140109152; BR40:109152
TITLE: THE CONTROL OF SEBORRHEIC DERMATITIS AND DANDRUFF BY ANTIPITYROSPORAL DRUGS.
AUTHOR(S): MCGRATH J [Reprint author]; MURPHY G M
CORPORATE SOURCE: INST DERMATOL, ST THOMAS' HOSP, LONDON SE1 7EH, ENGL, UK
SOURCE: Drugs, (1991) Vol. 41, No. 2, pp. 178-184.
CODEN: DRUGAY. ISSN: 0012-6667.
DOCUMENT TYPE: Article
FILE SEGMENT: BR
LANGUAGE: ENGLISH
ENTRY DATE: Entered STN: 21 May 1991
Last Updated on STN: 16 Jul 1991

L17 ANSWER 11 OF 17 BIOSIS COPYRIGHT (c) 2007 The Thomson Corporation on STN

ACCESSION NUMBER: 1991:191667 BIOSIS
DOCUMENT NUMBER: PREV199140088947; BR40:88947
TITLE: SCALP AND HAIR.
AUTHOR(S): MATSUNAGA J [Reprint author]; MAIBACH H I
CORPORATE SOURCE: DEP MED, JOHN A BURNS SCH MED, HONOLULU, HAWAII, USA
SOURCE: (1991) pp. 113-120. ROENIGK, H. H. JR. AND H. I. MAIBACH (ED.). PSORIASIS, SECOND EDITION. XVII+963P. MARCEL DEKKER, INC.: NEW YORK, NEW YORK, USA; BASEL, SWITZERLAND. ILLUS.
ISBN: 0-8247-8223-2.
DOCUMENT TYPE: Book
FILE SEGMENT: BR
LANGUAGE: ENGLISH
ENTRY DATE: Entered STN: 22 Apr 1991
Last Updated on STN: 14 Jun 1991

L17 ANSWER 12 OF 17 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 2002190842 EMBASE
TITLE: Dandruff.
AUTHOR: MacLeod D.
CORPORATE SOURCE: D. MacLeod, Ottawa Valley Reg. Drug Info. Serv., Ottawa, Ont., Canada
SOURCE: Canadian Pharmaceutical Journal, (2001) Vol. 134, No. 5, pp. 21. .
ISSN: 0828-6914 CODEN: CPJOAC
COUNTRY: Canada
DOCUMENT TYPE: Journal; (Short Survey)
FILE SEGMENT: 013 Dermatology and Venereology
017 Public Health, Social Medicine and Epidemiology

037 Drug Literature Index
039 Pharmacy
LANGUAGE: English
ENTRY DATE: Entered STN: 13 Jun 2002
Last Updated on STN: 13 Jun 2002
DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L17 ANSWER 13 OF 17 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN
ACCESSION NUMBER: 96170949 EMBASE
DOCUMENT NUMBER: 1996170949
TITLE: [Pityriasis versicolor: Etiology, diagnosis and therapy of a frequently occurring mycosis].
PITYRIASIS VERSICOLOR: ATIOLOGIE, DIAGNOSTIK UND THERAPIE EINER HAUFIGEN PILZKRANKHEIT.
AUTHOR: Qadripur S.-A.
CORPORATE SOURCE: Dermatologische Klinik, Von-Siebold-Str. 3, 37075 Gottingen, Germany
SOURCE: Zeitschrift fur Allgemeinmedizin, (1996) Vol. 72, No. 9, pp. 513-516. .
ISSN: 0341-9835 CODEN: ZALMAS
COUNTRY: Germany
DOCUMENT TYPE: Journal; (Short Survey)
FILE SEGMENT: 013 Dermatology and Venereology
037 Drug Literature Index
LANGUAGE: German
ENTRY DATE: Entered STN: 16 Jul 1996
Last Updated on STN: 16 Jul 1996
DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L17 ANSWER 14 OF 17 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN
ACCESSION NUMBER: 96100858 EMBASE
DOCUMENT NUMBER: 1996100858
TITLE: Medicated shampoos.
AUTHOR: Shapiro J.; Maddin S.
CORPORATE SOURCE: Division of Dermatology, Department of Medicine, University of British Columbia, 855 West 10th Avenue, Vancouver, BC V5Z 1L7, Canada
SOURCE: Clinics in Dermatology, (1996) Vol. 14, No. 1, pp. 123-128.
ISSN: 0738-081X CODEN: CLDEEU
COUNTRY: United States
DOCUMENT TYPE: Journal; General Review
FILE SEGMENT: 004 Microbiology
013 Dermatology and Venereology
030 Pharmacology
037 Drug Literature Index
LANGUAGE: English
ENTRY DATE: Entered STN: 23 Apr 1996
Last Updated on STN: 23 Apr 1996
DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L17 ANSWER 15 OF 17 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN
ACCESSION NUMBER: 92206546 EMBASE
DOCUMENT NUMBER: 1992206546
TITLE: [Antipityrosporal agents in the treatment of seborrheic dermatitis and pityriasis].
DIE KONTROLLE DER SEBORRHOISCHEN DERMATITIS UND HAUTSCHUPPEN MIT HILFE ANTIPITYROSPORALER WIRKSTOFFE.
AUTHOR: McGrath J.; Murphy G.M.
CORPORATE SOURCE: Institute of Dermatology, St. Thomas's Hospital, London, United Kingdom

SOURCE: Zeitschrift fur Allgemeinmedizin, (1992) Vol. 68, No. 17,
pp. 601-605. .
ISSN: 0341-9835 CODEN: ZALMAS
COUNTRY: Germany
DOCUMENT TYPE: Journal; (Short Survey)
FILE SEGMENT: 013 Dermatology and Venereology
026 Immunology, Serology and Transplantation
030 Pharmacology
037 Drug Literature Index
038 Adverse Reactions Titles
LANGUAGE: German
SUMMARY LANGUAGE: German
ENTRY DATE: Entered STN: 2 Aug 1992
Last Updated on STN: 2 Aug 1992
DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L17 ANSWER 16 OF 17 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights
reserved on STN
ACCESSION NUMBER: 91285945 EMBASE
DOCUMENT NUMBER: 1991285945
TITLE: Superficial fungal infections.
AUTHOR: Hall Jr. J.H.; Leshner Jr. J.L.
CORPORATE SOURCE: Department of Dermatology, Medical College of Georgia, 1521
Pope Avenue, Augusta, GA 30912-2900, United States
SOURCE: Pediatrician, (1991) Vol. 18, No. 3, pp. 224-232. .
ISSN: 0300-1245 CODEN: PEDIEY
COUNTRY: Switzerland
DOCUMENT TYPE: Journal; General Review
FILE SEGMENT: 004 Microbiology
007 Pediatrics and Pediatric Surgery
013 Dermatology and Venereology
037 Drug Literature Index
LANGUAGE: English
ENTRY DATE: Entered STN: 16 Dec 1991
Last Updated on STN: 16 Dec 1991
DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L17 ANSWER 17 OF 17 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights
reserved on STN
ACCESSION NUMBER: 87074052 EMBASE
DOCUMENT NUMBER: 1987074052
TITLE: [The antibiogram in mycology].
L'ANTIBIOGRAMME EN MYCOLOGIE.
AUTHOR: Badillet G.
CORPORATE SOURCE: Laboratoire de Mycologie, Hopital Saint-Louis, 75475 Paris,
France
SOURCE: Feuillet de Biologie, (1987) Vol. 28, No. 154, pp. 33-37.
CODEN: FBIOAA
COUNTRY: France
DOCUMENT TYPE: Journal
FILE SEGMENT: 037 Drug Literature Index
LANGUAGE: French
ENTRY DATE: Entered STN: 11 Dec 1991
Last Updated on STN: 11 Dec 1991
DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

=>
=> s L4 and topical
L18 56 L4 AND TOPICAL

=> dup rem L18
PROCESSING COMPLETED FOR L18

L19 56 DUP REM L18 (0 DUPLICATES REMOVED)

=> s L18 and (AY<2002 or PY<2002 or PRY<2002)

'2002' NOT A VALID FIELD CODE

'2002' NOT A VALID FIELD CODE

2 FILES SEARCHED...

'2002' NOT A VALID FIELD CODE

'2002' NOT A VALID FIELD CODE

'2002' NOT A VALID FIELD CODE

'2002' NOT A VALID FIELD CODE

L20 39 L18 AND (AY<2002 OR PY<2002 OR PRY<2002)

=> s L18 and (AY<2002 or PY<2002 or PRY<2002)

'2002' NOT A VALID FIELD CODE

'2002' NOT A VALID FIELD CODE

2 FILES SEARCHED...

'2002' NOT A VALID FIELD CODE

'2002' NOT A VALID FIELD CODE

'2002' NOT A VALID FIELD CODE

'2002' NOT A VALID FIELD CODE

L21 39 L18 AND (AY<2002 OR PY<2002 OR PRY<2002)

=> d L20 1-10 ibib abs

L20 ANSWER 1 OF 39 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:610054 CAPLUS

DOCUMENT NUMBER: 141:162353

TITLE: Transdermal patch comprising antiviral and other agents

INVENTOR(S): Rolf, David

PATENT ASSIGNEE(S): Lectec Corporation, USA

SOURCE: PCT Int. Appl., 144 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004062600	A2	20040729	WO 2004-US392	20040108
WO 2004062600	A3	20041104		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ				
US 2007026056	A1	20070201	US 2006-535214	20060926 <--
PRIORITY APPLN. INFO.:			US 2003-338809	A 20030108
			US 2000-688445	B2 20001016 <--

AB An adhesive patch is provided wherein the patch includes a porous backing having a front side and a back side. The patch also includes a therapeutic formulation located on the front side of the backing. The backing includes a flexible sheet of water insol. porous material. The therapeutic formulation includes a combination of an antiviral agent useful for treating a viral infection in a mammal, e.g., human, a medicament that relieves topical discomfort, an adhesive, and a solvent. The solvent can preferably include a fragrance. The composition further comprises an antimicrobial, analgesic, anesthetic, and antipruritic agents. For example, a therapeutic formulation for adhesive patches contained (by weight) adhesives 10.00, Aloe vera, 10X 0.50%, menthol 0.50%, vaseline fragrance 2.00%, glycerin 44.27%, karaya gum 26.90%, benzocaine 5.00%, acyclovir 2.00%, triethylene glycol 5.00%, Quat-15 0.03%, vitamin E acetate 0.30%, and water 3.50%.

L20 ANSWER 2 OF 39 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2003:971738 CAPLUS
DOCUMENT NUMBER: 140:23273
TITLE: N-Acetyl cysteine and its topical use
INVENTOR(S): Yu, Ruey J.; Van Scott, Eugene J.
PATENT ASSIGNEE(S): USA
SOURCE: U.S. Pat. Appl. Publ., 8 pp., Cont.-in-part of U.S.
Pat. Appl. 2003 198,656.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 3
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2003229141	A1	20031211	US 2003-462885	20030617 <--
US 6159485	A	20001212	US 1999-227213	19990108 <--
EP 1570840	A2	20050907	EP 2004-29094	20000107 <--
EP 1570840	A3	20051116		
R: DE, ES, FR, GB, IT				
EP 1639994	A2	20060329	EP 2005-18302	20000107 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI, CY				
US 6524593	B1	20030225	US 2000-560901	20000428 <--
US 2003198656	A1	20031023	US 2003-371504	20030221 <--
US 6808716	B2	20041026		
PRIORITY APPLN. INFO.:			US 1999-227213	A1 19990108 <--
			US 2000-560901	A2 20000428 <--
			US 2003-371504	A2 20030221
			EP 2000-902347	A3 20000107 <--

AB Methods to alleviate or improve various cosmetic conditions and dermatol. disorders, including changes or damage to skin, nail and hair associated with intrinsic aging and/or extrinsic aging, as well as changes or damage caused by extrinsic factors using compns. comprising N-acetyl-cysteine (isomeric or non-isomeric forms) and/or free acid, salt, lactone, amide or ester forms of N-acetyl-cysteine are described. The methods provided may also comprise application of a composition further containing various cosmetic, pharmaceutical or other topical agents to enhance or create synergetic effects.

L20 ANSWER 3 OF 39 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2002:850154 CAPLUS
DOCUMENT NUMBER: 137:329494
TITLE: Mitocidal compositions based on sulfur
INVENTOR(S): Shacknai, Jonah; Gans, Eugene H.
PATENT ASSIGNEE(S): Medicis Pharmaceutical Corporation, USA
SOURCE: U.S. Pat. Appl. Publ., 9 pp., Cont.-in-part of U.S.
Ser. No. 607,881.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 3
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2002164381	A1	20021107	US 2001-22476	20011218 <--
US 6514489	B1	20030204	US 2000-607881	20000630 <--
US 2003133959	A1	20030717	US 2002-283102	20021029 <--
US 2004057972	A2	20040325		
US 6905675	B2	20050614		
CA 2470582	A1	20030626	CA 2002-2470582	20021210 <--
WO 2003051294	A2	20030626	WO 2002-US39379	20021210 <--

WO 2003051294 A3 20031030
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CO, CR, CU, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
AU 2002357119 A1 20030630 AU 2002-357119 20021210 <--
EP 1467622 A2 20041020 EP 2002-805092 20021210 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK
BR 2002015052 A 20041123 BR 2002-15052 20021210 <--
CN 1606406 A 20050413 CN 2002-825508 20021210 <--
JP 2005513055 T 20050512 JP 2003-552227 20021210 <--
PRIORITY APPLN. INFO.: US 2000-607881 A2 20000630 <--
US 2001-22476 A 20011218 <--
WO 2002-US39379 W 20021210

AB Methods for the treatment and prevention of cutaneous mites and for the treatment and prevention of cutaneous inflammation of mammalian skin associated with cutaneous mite infestations utilizing compns. comprising sulfur, one or more sulfur derivative and a dermatol. acceptable carrier are described. The suitable sulfur derivs. are selenium sulfide, potassium sulfide, poly-potassium sulfide, poly-calcium polysulfide, hydrogen sulfide, sulfuric acid, bisulfides, sulfur dioxide, thiols, sodium sulfacetamide, sulfites, and mercaptans. The composition is preferably a cleanser. For example, a topical solution in cream containing 5.00% precipitated sulfur in addition to 11.29% sulfacetamide sodium and 0.10% sodium thiosulfate was prepared and applied at real-life use levels to the surface of wetted excised human skin mounted in a skin penetration cell. After 12 h, the skin was rinsed and wiped off, and a second dose was then applied for an addnl. 12 h. Over 25% of the dose of sulfur deposited on the skin was absorbed below the surface of the stratum corneum.

L20 ANSWER 4 OF 39 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2002:89795 CAPLUS
DOCUMENT NUMBER: 136:139843
TITLE: Method of regulating hair growth using metal complexes of oxidized carbohydrates
INVENTOR(S): Gardlik, John Michael; Severynse-Stevens, Diana; Comstock, Bryan Gabriel
PATENT ASSIGNEE(S): The Procter & Gamble Company, USA
SOURCE: PCT Int. Appl., 46 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002007685	A2	20020131	WO 2001-US23424	20010725 <--
WO 2002007685	A8	20031030		
WO 2002007685	A3	20020829		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ,				

VN, YU, ZA, ZW
 RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AM, AZ, BY, KG,
 KZ, MD, RU, TJ, TM, AT, BE, CH, CY, DE, ES, FI, FR, GB, GR,
 IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN,
 GQ, GW, ML, MR, NE, SN, TD, TG

US 2002035070 A1 20020321 US 2001-909441 20010719 <--
 AU 2001080779 A5 20020205 AU 2001-80779 20010725 <--
 PRIORITY APPLN. INFO.: US 2000-220755P P 20000726 <--
 WO 2001-US23424 W 20010725 <--

AB A method for regulating the growth of hair comprising administering to a mammal, an effective amount of a composition comprising: (a) about 0.001-99.9%, by weight, of at least one metal complex of an oxidized carbohydrate, wherein the metal complex of an oxidized carbohydrate is neither zinc gluconate nor manganese gluconate; and (b) about 0.1-99.999%, by weight, of a vehicle. The composition is administered orally, parenterally, or topically. For example, a topical composition contained zinc lactobionate 5.0%, zinc gluconate 1.0%, zinc pyrithione 1.0%, Tween 20 1.0%, propylene glycol 10.0%, dimethylisobornide 18.0%, EtOH 30.0%, and water and minors up to 100%. Also, tablets were prepared containing zinc lactobionate 100 mg, Crospovidone 15 mg, lactose 200 mg, microcryst. cellulose 80 mg, and magnesium stearate 5 mg.

L20 ANSWER 5 OF 39 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2001:729696 CAPLUS

DOCUMENT NUMBER: 135:277746

TITLE: Controlled delivery system of antifungal and keratolytic agents for treatment of infections of the nail

INVENTOR(S): Friedman, Michael; Licht, Daniella; Cohen, Rachel; Yacobi, Avraham; Golander, Yechiel; Moros, Dan; Levitt, Barrie

PATENT ASSIGNEE(S): Taro Pharmaceutical Industries Ltd., Israel

SOURCE: Eur. Pat. Appl., 17 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1138314	A2	20011004	EP 2001-650031	20010326 <--
EP 1138314	A3	20040102		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
US 7074392	B1	20060711	US 2000-534960	20000327 <--
AU 200128138	A	20011004	AU 2001-28138	20010321 <--
CA 2341814	A1	20010927	CA 2001-2341814	20010322 <--
ZA 2001002441	A	20010928	ZA 2001-2441	20010326 <--
JP 2001316247	A	20011113	JP 2001-91489	20010327 <--
CN 1324607	A	20011205	CN 2001-119020	20010327 <--
US 2006120977	A1	20060608	US 2005-313186	20051220 <--

PRIORITY APPLN. INFO.: US 2000-534960 A 20000327 <--

AB A topical sustained release system for the delivery of antifungal agents to the finger or toenails achieves high penetration through the nails by combining the drug with a keratolytic agent and a humectant. The sustained-release topical preparation is provided in a varnish or spray form for treating the nail and surrounding tissues. The composition may further comprise antibacterial, antiviral, n antipsoriatic agents, or combinations. Thus, a nail varnish formulation contained urea 0.7, miconazole nitrate 0.8, Eudragit S 7.3, water 4.0, acetone 61.3, iso-PrOH 20.4, PEG-400 0.4, and glycerol 4.9% by weight

L20 ANSWER 6 OF 39 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2001:31287 CAPLUS
 DOCUMENT NUMBER: 134:105670
 TITLE: Pharmaceutical and cosmetic compositions containing oligosaccharide aldonic acids and their topical use
 INVENTOR(S): Yu, Ruey J.; Van Scott, Eugene J.
 PATENT ASSIGNEE(S): USA
 SOURCE: PCT Int. Appl., 86 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001001932	A2	20010111	WO 2000-US16301	20000628 <--
WO 2001001932	A3	20010517		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 6335023	B1	20020101	US 2000-487228	20000119 <--
CA 2373852	A1	20010111	CA 2000-2373852	20000628 <--
BR 2000011640	A	20020514	BR 2000-11640	20000628 <--
EP 1227820	A2	20020807	EP 2000-950220	20000628 <--
EP 1227820	B1	20060419		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL				
JP 2003503436	T	20030128	JP 2001-507430	20000628 <--
AU 775620	B2	20040805	AU 2000-63353	20000628 <--
CN 1635864	A	20050706	CN 2000-809776	20000628 <--
AT 323498	T	20060515	AT 2000-950220	20000628 <--
EP 1685843	A1	20060802	EP 2006-6895	20000628 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI, CY				
PT 1227820	T	20060831	PT 2000-950220	20000628 <--
US 2002028227	A1	20020307	US 2001-987023	20011113 <--
US 6740327	B2	20040525		
HK 1048764	A1	20060915	HK 2003-100874	20030206 <--
US 2004180854	A1	20040916	US 2004-811998	20040330 <--
AU 2004212601	A1	20041014	AU 2004-212601	20040920 <--
JP 2005232180	A	20050902	JP 2005-74658	20050316 <--
PRIORITY APPLN. INFO.:				
			US 1999-141264P	P 19990630 <--
			US 2000-487228	A 20000119 <--
			EP 2000-950220	A3 20000628 <--
			JP 2001-507430	A3 20000628 <--
			WO 2000-US16301	W 20000628 <--
			US 2001-987023	A1 20011113 <--

OTHER SOURCE(S): MARPAT 134:105670
 AB Comps. comprising oligosaccharide aldonic acids are useful for general care, as well as for treatment and prevention, of various cosmetic conditions and dermatol. disorders, including those associated with intrinsic and/or extrinsic aging, as well as with changes or damage caused by extrinsic factors; general care, as well as treatment and prevention of diseases and conditions, of the oral, and vaginal mucosa; for general oral care, as well as treatment and prevention of oral and gum diseases; and for wound healing of the skin. Comps. comprising oligosaccharide aldonic acids may further comprise a cosmetic, pharmaceutical or other

topical agent to enhance or create synergetic effects. A cream was prepared by mixing 50 g of 50% maltobionic acid with 50 g oil-in-water base, pH = 1.7. Efficacy of topical maltobionic acid in treatment of dry skin is reported.

L20 ANSWER 7 OF 39 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2001:28567 CAPLUS
DOCUMENT NUMBER: 134:105629
TITLE: Foaming oil gel compositions
INVENTOR(S): Santora, Delores; Hopkins, John; McCulloch, Laura J.
PATENT ASSIGNEE(S): Johnson and Johnson Consumer Companies, Inc., USA
SOURCE: Eur. Pat. Appl., 23 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1066827	A2	20010110	EP 2000-305281	20000622 <--
EP 1066827	A3	20010912		
EP 1066827	B1	20060809		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, CY				
US 6524594	B1	20030225	US 2000-579737	20000526 <--
CA 2312236	A1	20001223	CA 2000-2312236	20000622 <--
JP 2001039858	A	20010213	JP 2000-188207	20000622 <--
IN 2000CA00359	A	20050624	IN 2000-CA359	20000622 <--
AU 782240	B2	20050714	AU 2000-42608	20000622 <--
AT 335465	T	20060915	AT 2000-305281	20000622 <--
CN 1279062	A	20010110	CN 2000-119340	20000623 <--
BR 2000002858	A	20010313	BR 2000-2858	20000623 <--
TW 237569	B	20050811	TW 2000-89112332	20001025 <--

PRIORITY APPLN. INFO.: US 1999-140605P P 19990623 <--

AB A gelled oil composition containing an emulsifier, a gelling agent, an oil, and a

surfactant which, when applied to the skin in the presence of water, produces a significant amount of foam. After the composition is rinsed from the

skin, a non-greasy, oil residue is left thereon. A foaming gel containing gelled mineral oil/copolymers (Geahlene 500) 64.4, cocamidopropyl di-Me betaine (Empigen BS-98) 15, iso-Pr palmitate 15, Laureth-3 (Volpo L3 special) 5, tocopherol acetate 0.1, and other ingredients q.s. to 100 % was formulated to examine its foaming quality and after-feeling.

L20 ANSWER 8 OF 39 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2000:900207 CAPLUS
DOCUMENT NUMBER: 134:61215
TITLE: Lipid and detergent-containing topical formulations comprising vesicle delivery systems
INVENTOR(S): Niemiec, Susan M.; Nystrand, Glenn A.; Wang, Jonas C. T.; Ho, Kie L.
PATENT ASSIGNEE(S): Johnson & Johnson Consumer Products, Inc., USA
SOURCE: Eur. Pat. Appl., 41. pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1060732	A2	20001220	EP 2000-304542	20000526 <--

EP 1060732 A3 20011212
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
 IE, SI, LT, LV, FI, RO
 IN 2000CA00298 A 20050610 IN 2000-CA298 20000523 <--
 CA 2309373 A1 20001127 CA 2000-2309373 20000524 <--
 JP 2001019634 A 20010123 JP 2000-157251 20000526 <--
 CN 1285186 A 20010228 CN 2000-117689 20000526 <--
 BR 2000002285 A 20010123 BR 2000-2285 20000529 <--
 PRIORITY APPLN. INFO.: US 1999-320894 A 19990527 <--

AB This invention relates to a method for enhancing the transmembrane and/or topical penetration of pharmacol. active substances using a certain vesicle delivery system as an enhancing agent, and an optional detergent, as well as the compns. used therein. Various active agents, such as hair growth agents, hair inhibitor agents, anti-acne agents, depilatory agents, antiaging agents, and depigmentation agents, may be effectively delivered into the skin, hair follicles and sebaceous glands using the compns. of the present invention. For example, liposome delivery systems were prepared containing as a lipid phase glyceryl distearate 33.13-40.91, cholesterol 11.04-13.64, polyoxyethylene-10-stearyl ether 29.44-36.36, di(soyoylethyl) hydroxyethylammonium methosulfate 0-19.03, and elubiol 7.36-9.09 parts, and as an aqueous phase zinc pyrithione 0-8.57, salicylic acid 0-25.07, and distilled water 74.93-100 parts, resp.

L20 ANSWER 9 OF 39 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2000:116928 CAPLUS
 DOCUMENT NUMBER: 132:171116
 TITLE: Topical delivery systems for active agents
 INVENTOR(S): Niemiec, Susan M.; Wang, Jonas C. T.; Wisniewski, Stephen J.; Stenn, Kurt S.; Lu, Gwang Wei
 PATENT ASSIGNEE(S): Johnson & Johnson Consumer Companies, Inc., USA
 SOURCE: PCT Int. Appl., 56 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000007627	A2	20000217	WO 1999-US17387	19990802 <--
WO 2000007627	A3	20000817		
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 6284234	B1	20010904	US 1999-360412	19990723 <--
CA 2339231	A1	20000217	CA 1999-2339231	19990802 <--
AU 9956695	A	20000228	AU 1999-56695	19990802 <--
EP 1104280	A2	20010606	EP 1999-943639	19990802 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
JP 2003521452	T	20030715	JP 2000-563309	19990802 <--
TW 257310	B	20060701	TW 1999-88113282	19990818 <--
US 2002048558	A1	20020425	US 2001-916019	20010726 <--
US 6419913	B2	20020716		

PRIORITY APPLN. INFO.: US 1998-95289P P 19980804 <--
 US 1999-363412 A 19990723 <--
 US 1999-360412 A 19990723 <--
 WO 1999-US17387 W 19990802 <--

AB This invention relates to a method for enhancing the transmembrane

penetration of active agents using a nonionic lipid/surfactant-containing formulation as an enhancing agent. Various active agents, such as anti-dandruff agents, hair growth agents, hair inhibitor agents, anti-acne agents, anti-aging agents, depilatory agents, and depigmentation agents, may be effectively delivered into the skin, hair follicles and sebaceous glands using the compns. of the present invention. Thus, minoxidil (0.4 g) was dissolved in 4 mL propylene glycol and 12 mL EtOH to give a formulation containing 2%(weight/volume) minoxidil. DL-lactic acid (360 µL)

and

0.626g sodium sulfate were added to the above formulation.

L20 ANSWER 10 OF 39 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1999:686694 CAPLUS
DOCUMENT NUMBER: 131:314194
TITLE: Formulation containing a carrier, active ingredient,
and surfactant for treating skin disorders
INVENTOR(S): Seidel, William E.
PATENT ASSIGNEE(S): Dermalogix Partners, Inc., USA
SOURCE: U.S., 6 pp.
CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5972920	A	19991026	US 1998-22995	19980212 <--
PRIORITY APPLN. INFO.:			US 1998-22995	19980212 <--

AB One or more formulations for treating psoriasis and other skin disorders characterized by redness, itching, flaking, scaling, and plaque-type growth. The formulation includes a carrier component, one or more active ingredient components, and a surfactant component. The carrier preferably includes an alc. in substantially equal volume with iso-Pr myristate. The active ingredient component preferably includes a superpotent or high-potency corticosteroid such as clobetasol propionate, an anti-flaking ingredient such as zinc pyrithione, or a combination of the two. It may also include an antifungal compound. The surfactant component preferably includes an alkyl sulfate such as sodium lauryl sulfate. The formulations made by applied topically either in spray form or as a direct-contact liquid. A composition was prepared containing iso-Pr myristate/isopropanol (50/50 by volume) 99.65 and Zn pyrithione 0.25%.

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d L20 11-20 ibib abs

L20 ANSWER 11 OF 39 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1997:656862 CAPLUS
DOCUMENT NUMBER: 127:311459
TITLE: Method of treating skin and composition
INVENTOR(S): Tomas, Robert E.
PATENT ASSIGNEE(S): USA
SOURCE: U.S., 3 pp., Cont.-in-part of U.S. Ser. No. 352,363,
abandoned.
CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
------------	------	------	-----------------	------

US 5674539 A 19971007 US 1995-505722 19950518 <--
 PRIORITY APPLN. INFO.: US 1994-352363 B2 19941209 <--

AB A topical medication for the treatment of skin pathol. including
 acne is comprised of tetracycline, minocycline, clindamycin, erythromycin,
 or doxycycline and selenium sulfide or sulfur
 in a pharmaceutically acceptable carrier. The lotion, cream or ointment
 is applied to the lesions, left in place briefly and washed off. This is
 repeated twice daily. The lesions generally clear up within a week.
 Because the treatment is local, the serious side effects of systemic
 administration of drugs is avoided. Tetracycline-HCl (1.8 g) was
 suspended in 60 mL aqueous suspension of 2.5% selenium
 sulfide containing suitable carrier materials. The effectiveness of
 this composition in the treatment of acne was demonstrated.

L20 ANSWER 12 OF 39 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1988:616035 CAPLUS

DOCUMENT NUMBER: 109:216035

TITLE: Hydroxycarboxylic acids as additives enhancing
 topical actions of therapeutic agents

INVENTOR(S): Van Scott, Eugene J.

PATENT ASSIGNEE(S): Yu, Ruey J., USA

SOURCE: Eur. Pat. Appl., 23 pp.

CODEN: EPXXDW

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 6

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 273202	A2	19880706	EP 1987-117405	19871125 <--
EP 273202	A3	19900606		
EP 273202	B1	19950621		
R: DE, ES, FR, GB, IT				
AU 8779986	A	19880623	AU 1987-79986	19871021 <--
AU 618517	B2	19920102		
CA 1324077	C	19931109	CA 1987-549964	19871022 <--
JP 63166837	A	19880711	JP 1987-280275	19871105 <--
JP 2533339	B2	19960911		
EP 599819	A2	19940601	EP 1994-102151	19871125 <--
EP 599819	A3	19940727		
EP 599819	B1	19970402		
R: DE, ES, FR, GB, IT				
ES 2074978	T3	19951001	ES 1987-117405	19871125 <--
EP 770399	A2	19970502	EP 1997-100470	19871125 <--
R: DE, ES, FR, GB, IT				
ES 2103506	T3	19970916	ES 1994-102151	19871125 <--
JP 04506634	T	19921119	JP 1991-505539	19910121 <--
JP 3016588	B2	20000306		
AU 9213943	A	19920528	AU 1992-13943	19920331 <--
AU 654850	B2	19941124		
US 5385938	B1	19920807	US 1992-925877	19920807 <--
US 5385938	A	19950131		
CA 1340120	C	19981110	CA 1992-616460	19920810 <--
US 5091171	B1	19950926	US 1992-90002911	19921217 <--
US 5665776	A	19970909	US 1993-8223	19930122 <--
US 5389677	A	19950214	US 1993-89101	19930712 <--
US 5389677	B1	19970715		
US 5702688	A	19971230	US 1993-135841	19931007 <--
US 5422370	A	19950606	US 1994-179189	19940110 <--
US 5422370	B1	19970715		
US 5470880	A	19951128	US 1994-179190	19940110 <--
US 5550154	A	19960827	US 1995-463235	19950605 <--

US 5561159	A	19961001	US 1995-463062	19950605 <--
US 5561155	A	19961001	US 1995-464071	19950605 <--
US 5589505	A	19961231	US 1995-463724	19950605 <--
US 5591774	A	19970107	US 1995-463063	19950605 <--
US 5668177	A	19970916	US 1995-464500	19950605 <--
US 5670541	A	19970923	US 1995-464475	19950605 <--
US 5550158	A	19960827	US 1995-471530	19950606 <--
US 5554651	A	19960910	US 1995-467894	19950606 <--
US 5556882	A	19960917	US 1995-467530	19950606 <--
US 5561156	A	19961001	US 1995-470433	19950606 <--
US 5561153	A	19961001	US 1995-470435	19950606 <--
US 5565487	A	19961015	US 1995-471528	19950606 <--
US 5571841	A	19961105	US 1995-470434	19950606 <--
US 5574067	A	19961112	US 1995-467001	19950606 <--
US 5578644	A	19961126	US 1995-471518	19950606 <--
US 5580902	A	19961203	US 1995-465699	19950606 <--
US 5583156	A	19961210	US 1995-467895	19950606 <--
US 5599843	A	19970204	US 1995-471529	19950606 <--
US 5612376	A	19970318	US 1995-465703	19950606 <--
US 5637615	A	19970610	US 1995-467153	19950606 <--
US 5643961	A	19970701	US 1995-466737	19950606 <--
US 5643962	A	19970701	US 1995-466740	19950606 <--
US 5643952	A	19970701	US 1995-466770	19950606 <--
US 5643953	A	19970701	US 1995-467156	19950606 <--
US 5643963	A	19970701	US 1995-471523	19950606 <--
US 5648395	A	19970715	US 1995-466739	19950606 <--
US 5648391	A	19970715	US 1995-469812	19950606 <--
US 5648388	A	19970715	US 1995-471511	19950606 <--
US 5650436	A	19970722	US 1995-467134	19950606 <--
US 5650437	A	19970722	US 1995-470060	19950606 <--
US 5650440	A	19970722	US 1995-471513	19950606 <--
US 5652267	A	19970729	US 1995-469814	19950606 <--
US 5654340	A	19970805	US 1995-467989	19950606 <--
US 5656665	A	19970812	US 1995-466771	19950606 <--
US 5656666	A	19970812	US 1995-470829	19950606 <--
US 5670542	A	19970923	US 1995-465700	19950606 <--
US 5670543	A	19970923	US 1995-471521	19950606 <--
US 5674899	A	19971007	US 1995-465704	19950606 <--
US 5674903	A	19971007	US 1995-468079	19950606 <--
US 5677339	A	19971014	US 1995-466820	19950606 <--
US 5677340	A	19971014	US 1995-468077	19950606 <--
US 5716992	A	19980210	US 1995-469811	19950606 <--
US 5827882	A	19981027	US 1995-465695	19950606 <--
US 5554652	A	19960910	US 1995-487685	19950607 <--
US 5554654	A	19960910	US 1995-487692	19950607 <--
US 5561157	A	19961001	US 1995-472318	19950607 <--
US 5571837	A	19961105	US 1995-475685	19950607 <--
US 5621006	A	19970415	US 1995-472314	19950607 <--
US 5654336	A	19970805	US 1995-483328	19950607 <--
US 5681853	A	19971028	US 1995-472317	19950607 <--
US 5684044	A	19971104	US 1995-472315	19950607 <--
US 5690967	A	19971125	US 1995-472310	19950607 <--
US 5691378	A	19971125	US 1995-487684	19950607 <--
CA 1339706	C	19980310	CA 1995-617036	19951031 <--
US 5889054	A	19990330	US 1997-925063	19970908 <--
US 5962526	A	19991005	US 1997-926030	19970909 <--
US 5856357	A	19990105	US 1997-937008	19970924 <--
US 6060512	A	20000509	US 1998-185608	19981104 <--
US 6051609	A	20000418	US 1998-222997	19981230 <--
US 6384079	B1	20020507	US 1999-224949	19990104 <--
US 6191167	B1	20010220	US 1999-255702	19990223 <--
US 2003083380	A1	20030501	US 2000-729981	20001206 <--
US 6767924	B2	20040727		
US 2001016604	A1	20010823	US 2001-774882	20010201 <--

US 2003017130
PRIORITY APPLN. INFO.:

A1 20030123

US 2002-71345	20020208 <--
US 1986-945680	A 19861223 <--
CA 1987-549964	A3 19871022 <--
EP 1987-117405	A3 19871125 <--
EP 1994-102151	A3 19871125 <--
US 1989-393749	A3 19890815 <--
US 1990-469738	B1 19900119 <--
US 1990-467958	A 19900122 <--
WO 1991-US412	W 19910121 <--
US 1991-683437	B1 19910410 <--
US 1991-812858	B1 19911223 <--
US 1992-840149	B1 19920224 <--
CA 1992-616460	A3 19920810 <--
US 1992-936863	B1 19920827 <--
US 1993-8112	A3 19930122 <--
US 1993-8223	A3 19930122 <--
US 1993-89101	A1 19930712 <--
US 1993-117559	B1 19930907 <--
US 1993-135841	A1 19931007 <--
US 1994-179190	A1 19940110 <--
US 1994-359939	A1 19941220 <--
US 1995-478524	A1 19950607 <--
US 1995-487684	A1 19950607 <--
US 1997-926030	A1 19970909 <--
US 1997-998864	A1 19971229 <--
US 1997-998871	A3 19971229 <--
US 1998-185608	A1 19981104 <--
US 1998-222997	A1 19981230 <--
US 2000-510368	B1 20000222 <--
US 2000-513225	B1 20000225 <--
US 2001-774882	A1 20010201 <--

OTHER SOURCE(S): MARPAT 109:216035

AB Hydroxycarboxylic acids and related ketocarboxylic acids, esters, lactones or salts enhance the therapeutic effect of topical drugs and cosmetics. Addition of 10% lactic acid strongly improved the antipsoriatic effect of topically-applied 3% thionicotinamide, in humans. A composition for prevention and treatment of oily skin comprised erythromycin 2 g aleuritic acid 2 g, EtOH 50 mL, water 40 mL and propylene glycol 6 mL.

L20 ANSWER 13 OF 39 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1983:410733 CAPLUS

DOCUMENT NUMBER: 99:10733

TITLE: OTC drug products for the control of dandruff, seborrheic dermatitis, and psoriasis; establishment of a monograph

CORPORATE SOURCE: United States Food and Drug Administration, Rockville, MD, 20857, USA

SOURCE: Federal Register (1982), 47(233), 54646-84, 3 Dec 1982

CODEN: FEREAC; ISSN: 0097-6326

DOCUMENT TYPE: Journal

LANGUAGE: German

AB The similarities and differences between dandruff, cradle cap, seborrheic dermatitis, and psoriasis are discussed, and ingredients of over-the-counter (OTC) preps. used for treating those disorders are tabulated. Based on an extensive survey of the literature, the following ingredients are considered to be both safe and effective coal tar preps. (coal tar, and its distillate, extract, and solution) in shampoos for control

of

dandruff and seborrheic dermatitis and psoriasis of the scalp; salicylic acid [69-72-7] for control of dandruff and seborrheic dermatitis and psoriasis of the body and scalp; SeS2 for topical control of dandruff; S for topical control of dandruff; zinc pyrithione [13463-41-7] for controlling dandruff and seborrheic dermatitis of the

scalp. Information is given on components considered to be safe but ineffective and those for which insufficient data are available.. Labeling requirements are proposed under the Federal Food, Drug, and Cosmetic Act.

L20 ANSWER 14 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 2002190842 EMBASE
TITLE: Dandruff.
AUTHOR: MacLeod D.
CORPORATE SOURCE: D. MacLeod, Ottawa Valley Reg. Drug Info. Serv., Ottawa, Ont., Canada
SOURCE: Canadian Pharmaceutical Journal, (2001) Vol. 134, No. 5, pp. 21. .
ISSN: 0828-6914 CODEN: CPJOAC
COUNTRY: Canada
DOCUMENT TYPE: Journal; (Short Survey)
FILE SEGMENT: 013 Dermatology and Venereology
017 Public Health, Social Medicine and Epidemiology
037 Drug Literature Index
039 Pharmacy
LANGUAGE: English
ENTRY DATE: Entered STN: 13 Jun 2002
Last Updated on STN: 13 Jun 2002
DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L20 ANSWER 15 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 1999188934 EMBASE
TITLE: Therapy of infectious blepharitis.
AUTHOR: Denton P.; Barequet I.S.; O'Brien T.P.
CORPORATE SOURCE: Dr. T.P. O'Brien, Ocular Microbiology Laboratory, Wilmer Eye Institute, Johns Hopkins Univ. Sch. of Medicine, Baltimore, MD 21287-9121, United States
SOURCE: Ophthalmology Clinics of North America, (1999) Vol. 12, No. 1, pp. 9-14. .
Refs: 25
ISSN: 0896-1549 CODEN: OCNAF2
COUNTRY: United States
DOCUMENT TYPE: Journal; General Review
FILE SEGMENT: 004 Microbiology
012 Ophthalmology
037 Drug Literature Index
LANGUAGE: English
SUMMARY LANGUAGE: English
ENTRY DATE: Entered STN: 17 Jun 1999
Last Updated on STN: 17 Jun 1999

AB Blepharitis is a complex condition with many clinical forms. Although the cause is not totally understood, research and clinical experience have uncovered many effective methods of treatment; however, even with the best treatment methods, patients must realize that blepharitis is a chronic condition. This article describes treatment for infectious blepharitis and discusses its causes.

L20 ANSWER 16 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 96170949 EMBASE
DOCUMENT NUMBER: 1996170949
TITLE: [Pityriasis versicolor: Etiology, diagnosis and therapy of a frequently occurring mycosis].
PITYRIASIS VERSICOLOR: ATIOLOGIE, DIAGNOSTIK UND THERAPIE EINER HAUFIGEN PILZKRANKHEIT.
AUTHOR: Qadripur S.-A.
CORPORATE SOURCE: Dermatologische Klinik, Von-Siebold-Str. 3,37075 Gottingen, Germany

SOURCE: Zeitschrift fur Allgemeinmedizin, (1996) Vol. 72, No. 9,
pp. 513-516. .
ISSN: 0341-9835 CODEN: ZALMAS
COUNTRY: Germany
DOCUMENT TYPE: Journal; (Short Survey)
FILE SEGMENT: 013 Dermatology and Venereology
037 Drug Literature Index
LANGUAGE: German
ENTRY DATE: Entered STN: 16 Jul 1996
Last Updated on STN: 16 Jul 1996
DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L20 ANSWER 17 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights
reserved on STN
ACCESSION NUMBER: 96100858 EMBASE
DOCUMENT NUMBER: 1996100858
TITLE: Medicated shampoos.
AUTHOR: Shapiro J.; Maddin S.
CORPORATE SOURCE: Division of Dermatology, Department of Medicine, University
of British Columbia, 855 West 10th Avenue, Vancouver, BC V5Z
1L7, Canada
SOURCE: Clinics in Dermatology, (1996) Vol. 14, No. 1, pp. 123-128.
ISSN: 0738-081X CODEN: CLDEEU
COUNTRY: United States
DOCUMENT TYPE: Journal; General Review
FILE SEGMENT: 004 Microbiology
013 Dermatology and Venereology
030 Pharmacology
037 Drug Literature Index
LANGUAGE: English
ENTRY DATE: Entered STN: 23 Apr 1996
Last Updated on STN: 23 Apr 1996
DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L20 ANSWER 18 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights
reserved on STN
ACCESSION NUMBER: 96070097 EMBASE
DOCUMENT NUMBER: 1996070097
TITLE: International summit on cutaneous antifungal therapy, focus
on tinea capitis, Boston, Massachusetts, November 11-13,
1994.
AUTHOR: Elewski B.E.; Hay R.J.
CORPORATE SOURCE: Department of Dermatology, University Hospitals of
Cleveland, 11100 Euclid Avenue, Cleveland, OH 44106, United
States
SOURCE: Pediatric Dermatology, (1996) Vol. 13, No. 1, pp. 69-77. .
ISSN: 0736-8046 CODEN: PEDRDQ
COUNTRY: United States
DOCUMENT TYPE: Journal; Conference Article
FILE SEGMENT: 004 Microbiology
007 Pediatrics and Pediatric Surgery
013 Dermatology and Venereology
017 Public Health, Social Medicine and Epidemiology
037 Drug Literature Index
LANGUAGE: English
SUMMARY LANGUAGE: English
ENTRY DATE: Entered STN: 19 Mar 1996
Last Updated on STN: 19 Mar 1996

AB This article reports the highlights of presentations made at an
international symposium held on November 11-13, 1994, in Boston,
Massachusetts, on the subject of cutaneous antifungal therapy. Some of
the key points pertaining to the epidemiology, etiology, pathogenesis,
presentation, and management of tinea capitis are discussed.

L20 ANSWER 19 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 96047269 EMBASE
DOCUMENT NUMBER: 1996047269
TITLE: Guidelines of care for superficial mycotic infections of the skin: Piedra.
AUTHOR: Drake L.A.; Dinehart S.M.; Farmer E.R.; Goltz R.W.; Graham G.F.; Hordinsky M.K.; Lewis C.W.; Pariser D.M.; Skouge J.W.; Webster S.B.; Whitaker D.C.; Butler B.; Lowery B.J.; Elewski B.E.; Elgart M.L.; Jacobs P.H.; Leshner Jr. J.L.; Scher R.K.
CORPORATE SOURCE: American Academy of Dermatology, P.O. Box 4014, Schaumburg, IL 60168-4014, United States
SOURCE: Journal of the American Academy of Dermatology, (1996) Vol. 34, No. 1, pp. 122-124. .
ISSN: 0190-9622 CODEN: JAADDB
COUNTRY: United States
DOCUMENT TYPE: Journal; General Review
FILE SEGMENT: 004 Microbiology
013 Dermatology and Venereology
037 Drug Literature Index
LANGUAGE: English
ENTRY DATE: Entered STN: 26 Feb 1996
Last Updated on STN: 26 Feb 1996
DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L20 ANSWER 20 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 95240838 EMBASE
DOCUMENT NUMBER: 1995240838
TITLE: Treating dandruff and seborrhea.
AUTHOR: DeSimone II E.M.; McCracken G.
CORPORATE SOURCE: Sch. of Pharmacy/Allied Health Prof., Creighton University, Omaha, NE, United States
SOURCE: U.S. Pharmacist, (1995) Vol. 20, No. 4, pp. 26+28+30. .
ISSN: 0148-4818 CODEN: USPHD5
COUNTRY: United States
DOCUMENT TYPE: Journal; Article
FILE SEGMENT: 013 Dermatology and Venereology
037 Drug Literature Index
LANGUAGE: English
SUMMARY LANGUAGE: English
ENTRY DATE: Entered STN: 30 Aug 1995
Last Updated on STN: 30 Aug 1995

AB Millions of Americans suffer from dandruff and seborrheic dermatitis. These may be seen as primarily cosmetic disorders, but there can be considerable embarrassment associated with them. A wide variety of effective nonprescription products, especially shampoos, are available for treatment. For most patients, control can be obtained in as little as 2 weeks of use with follow-up applications every 1 to 2 weeks thereafter. Side effects are extremely minimal.

=> d 21-39 ibib abs

L21 ANSWER 21 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 95161548 EMBASE
DOCUMENT NUMBER: 1995161548
TITLE: Management of some common skin conditions.
AUTHOR: Stapleton K.; Commens C.
CORPORATE SOURCE: Westmead Hospital, Sydney, NSW, Australia
SOURCE: Modern Medicine of Australia, (1995) Vol. 38, No. 5, pp.

45-61. .
ISSN: 1030-3782 CODEN: MMAUB7

COUNTRY: Australia
DOCUMENT TYPE: Journal; General Review
FILE SEGMENT: 013 Dermatology and Venereology
037 Drug Literature Index

LANGUAGE: English

SUMMARY LANGUAGE: English

ENTRY DATE: Entered STN: 27 Jun 1995

Last Updated on STN: 27 Jun 1995

AB This article will look at several common skin conditions that are managed by general practitioners. The article is not intended to be comprehensive; the conditions covered were nominated by a group of GPs in discussion with the authors. If you would like to suggest a skin disease topic for discussion in Modern Medicine, please write to the Editor. We will attempt to prepare material on the subjects that are most requested.

L21 ANSWER 22 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 93350792 EMBASE

DOCUMENT NUMBER: 1993350792

TITLE: The patient with an itchy scalp.

AUTHOR: McColl I.

CORPORATE SOURCE: Dept. of Community Health/Medicine, University of Tasmania, Hobart, Tas., Australia

SOURCE: Modern Medicine of Australia, (1993) Vol. 36, No. 11, pp. 80-85. .

ISSN: 1030-3782 CODEN: MMAUB7

COUNTRY: Australia

DOCUMENT TYPE: Journal; (Short Survey)

FILE SEGMENT: 013 Dermatology and Venereology
037 Drug Literature Index

LANGUAGE: English

SUMMARY LANGUAGE: English

ENTRY DATE: Entered STN: 9 Jan 1994

Last Updated on STN: 9 Jan 1994

DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L21 ANSWER 23 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 93022414 EMBASE

DOCUMENT NUMBER: 1993022414

TITLE: Community dermatology and the management of skin diseases in developing countries.

AUTHOR: Estrada Castanon R.; Andersson N.; Hay R.

CORPORATE SOURCE: Ctr Invest. Enfermedades Tropicales, (CIET), Universidad Autonoma de Guerrero, Aptdo 25, Acapulco, Guerrero, Mexico

SOURCE: Tropical Doctor, (1992) Vol. 22, No. SUPPL. 1, pp. 3-6. .

ISSN: 0049-4755 CODEN: TPDCAV

COUNTRY: United Kingdom

DOCUMENT TYPE: Journal; (Short Survey)

FILE SEGMENT: 004 Microbiology
013 Dermatology and Venereology
017 Public Health, Social Medicine and Epidemiology
037 Drug Literature Index

LANGUAGE: English

ENTRY DATE: Entered STN: 21 Feb 1993

Last Updated on STN: 21 Feb 1993

DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L21 ANSWER 24 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 92206546 EMBASE

DOCUMENT NUMBER: 1992206546

TITLE: [Antipityrosporal agents in the treatment of seborrheic dermatitis and pityriasis].
 DIE KONTROLLE DER SEBORRHOISCHEN DERMATITIS UND HAUTSCHUPPEN MIT HILFE ANTIPITYROSPORALER WIRKSTOFFE.
 AUTHOR: McGrath J.; Murphy G.M.
 CORPORATE SOURCE: Institute of Dermatology, St. Thomas's Hospital, London, United Kingdom
 SOURCE: Zeitschrift fur Allgemeinmedizin, (1992) Vol. 68, No. 17, pp. 601-605. .
 ISSN: 0341-9835 CODEN: ZALMAS
 COUNTRY: Germany
 DOCUMENT TYPE: Journal; (Short Survey)
 FILE SEGMENT: 013 Dermatology and Venereology
 026 Immunology, Serology and Transplantation
 030 Pharmacology
 037 Drug Literature Index
 038 Adverse Reactions Titles
 LANGUAGE: German
 SUMMARY LANGUAGE: German
 ENTRY DATE: Entered STN: 2 Aug 1992
 Last Updated on STN: 2 Aug 1992
 DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L21 ANSWER 25 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 91280947 EMBASE
 DOCUMENT NUMBER: 1991280947
 TITLE: Introduction to topical therapy.
 AUTHOR: Harvey R.
 SOURCE: In Practice, (1991) Vol. 13, No. 5, pp. 208-211. .
 ISSN: 0263-841X CODEN: IPRCDH
 COUNTRY: United Kingdom
 DOCUMENT TYPE: Journal; Note
 FILE SEGMENT: 013 Dermatology and Venereology
 037 Drug Literature Index
 LANGUAGE: English
 ENTRY DATE: Entered STN: 16 Dec 1991
 Last Updated on STN: 16 Dec 1991
 DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L21 ANSWER 26 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 91102085 EMBASE
 DOCUMENT NUMBER: 1991102085
 TITLE: The control of seborrhoeic dermatitis and dandruff by antipityrosporal drugs.
 AUTHOR: McGrath J.; Murphy G.M.
 CORPORATE SOURCE: Institute of Dermatology, St Thomas' Hospital, London SE1 7EH, United Kingdom
 SOURCE: Drugs, (1991) Vol. 41, No. 2, pp. 178-184. .
 ISSN: 0012-6667 CODEN: DRUGAY
 COUNTRY: New Zealand
 DOCUMENT TYPE: Journal; General Review
 FILE SEGMENT: 013 Dermatology and Venereology
 030 Pharmacology
 037 Drug Literature Index
 LANGUAGE: English
 SUMMARY LANGUAGE: English
 ENTRY DATE: Entered STN: 16 Dec 1991
 Last Updated on STN: 16 Dec 1991
 AB For many years the exact nature of the pathophysiology of seborrhoeic dermatitis and dandruff was in doubt. Different schools of thought debated whether Pityrosporum yeasts were of primary pathogenic significance or a secondary phenomenon, with epidermal hyperproliferation

as the primary pathology. Although effective therapy in seborrhoeic dermatitis and dandruff has for a long time been based on compounds whose only common link was antipityrosporal activity, proof of this relevance was lacking until the introduction of effective antifungal drugs, in particular ketoconazole. This article charts the swing of opinion towards the primary pityrosporal aetiology of seborrhoeic dermatitis and dandruff, reviews the evidence that antipityrosporal activity is the common link to various compounds which benefit these conditions, and compares the efficacy of these substances in treatment.

L21 ANSWER 27 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 89013801 EMBASE
DOCUMENT NUMBER: 1989013801
TITLE: [Therapy of seborrhoeic eczema].
DIE THERAPIE DES SEBORRHOISCHEN EKZEMS.
AUTHOR: Degreef H.
CORPORATE SOURCE: Afd. Dermatologie, UZ. St.-Rafael, B-Leuven, Belgium
SOURCE: Aktuelle Dermatologie, (1988) Vol. 14, No. SUPPL. 1, pp. 409-411. .
ISSN: 0340-2541 CODEN: AKDEDY
COUNTRY: Germany
DOCUMENT TYPE: Journal
FILE SEGMENT: 013 Dermatology and Venereology
037 Drug Literature Index
LANGUAGE: German
SUMMARY LANGUAGE: English
ENTRY DATE: Entered STN: 12 Dec 1991
Last Updated on STN: 12 Dec 1991

AB Since Unna first described seborrhoeic eczema 100 years ago, many remedies and cures have been promoted and praised. Many of them must now be considered obsolete. The article discusses the pros and cons of certain products that are still in regular use. The therapeutic possibilities of ketoconazole have been deliberately omitted in this article, since they form the subject of other papers presented at this satellite symposium.

L21 ANSWER 28 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 87105974 EMBASE
DOCUMENT NUMBER: 1987105974
TITLE: Treatment of dandruff - An evaluation.
AUTHOR: Lowe A.; Grant D.
CORPORATE SOURCE: Faculty of Medicine, McMaster University, Hamilton, Ont., Canada
SOURCE: On Continuing Practice, (1987) Vol. 14, No. 2, pp. 16-20. .
CODEN: OCPCAD
COUNTRY: Canada
DOCUMENT TYPE: Journal
FILE SEGMENT: 037 Drug Literature Index
LANGUAGE: English
ENTRY DATE: Entered STN: 11 Dec 1991
Last Updated on STN: 11 Dec 1991

DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L21 ANSWER 29 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 86039009 EMBASE
DOCUMENT NUMBER: 1986039009
TITLE: [Efficacy of soluble antidandruff agents].
UNTERSUCHUNGEN ZUR WIRKSAMKEIT LOSLICHER
ANTISCHUPPENWIRKSTOFFE.
AUTHOR: Futterer E.
CORPORATE SOURCE: Hoechst AG, 6230 Frankfurt/Main 80, Germany
SOURCE: Arztliche Kosmetologie, (1985) Vol. 15, No. 6, pp. 421-435.

COUNTRY: Germany
DOCUMENT TYPE: Journal
FILE SEGMENT: 037 Drug Literature Index
LANGUAGE: German
SUMMARY LANGUAGE: English
ENTRY DATE: Entered STN: 10 Dec 1991
Last Updated on STN: 10 Dec 1991

DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L21 ANSWER 30 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 84216738 EMBASE
DOCUMENT NUMBER: 1984216738
TITLE: Oral ingestion of potassium permanganate or aluminum acetate in two patients.
AUTHOR: Huntley A.C.
CORPORATE SOURCE: Department of Dermatology, University of California, Davis, CA 95817, United States
SOURCE: Archives of Dermatology, (1984) Vol. 120, No. 10, pp. 1363-1365. .
CODEN: ARDEAC
COUNTRY: United States
DOCUMENT TYPE: Journal
FILE SEGMENT: 037 Drug Literature Index
052 Toxicology
013 Dermatology and Venereology
030 Pharmacology
LANGUAGE: English
ENTRY DATE: Entered STN: 10 Dec 1991
Last Updated on STN: 10 Dec 1991

AB Accidental ingestion of medication intended for topical use occurred in two patients. A patient hospitalized for psoriasis mistakenly swallowed potassium permanganate tablets intended for use in her bathwater. Another patient ingested tablet intended to prepare Burow's solution for topical treatment of his wound infection. These types of accidental ingestion of medicine intended for topical use are, fortunately, uncommon and do not usually lead to complications. However, the current trend to unit dosing, especially in tablet form, may result in the more frequent occurrence of such accidents.

L21 ANSWER 31 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 84071111 EMBASE
DOCUMENT NUMBER: 1984071111
TITLE: Seborrheic dermatitis.
AUTHOR: Kligman A.M.; Leyden J.J.
CORPORATE SOURCE: Department of Dermatology, University of Pennsylvania School of Medicine, Philadelphia, PA 19104, United States
SOURCE: Seminars in Dermatology, (1983) Vol. 2, No. 1, pp. 57-59. .
CODEN: SDERDN
COUNTRY: United States
DOCUMENT TYPE: Journal
FILE SEGMENT: 037 Drug Literature Index
013 Dermatology and Venereology
LANGUAGE: English
ENTRY DATE: Entered STN: 10 Dec 1991
Last Updated on STN: 10 Dec 1991

DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L21 ANSWER 32 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 80241443 EMBASE

DOCUMENT NUMBER: 1980241443
 TITLE: [Methods for examination of the action of antidandruff preparations].
 MESSMETHODEN ZUR PRUFUNG DER WIRKUNG VON ANTISCHUPPENPRAPARATEN.
 AUTHOR: Eberhardt H.
 CORPORATE SOURCE: Dr. Karl Thomae GmbH, 7950 Biberach 1, Germany
 SOURCE: Fette, Seifen, Anstrichmittel, (1980) Vol. 82, No. 1, pp. 37-40. .
 CODEN: FSASAX
 COUNTRY: Germany
 DOCUMENT TYPE: Journal
 FILE SEGMENT: 037 Drug Literature Index
 LANGUAGE: German
 SUMMARY LANGUAGE: English
 ENTRY DATE: Entered STN: 9 Dec 1991
 Last Updated on STN: 9 Dec 1991

DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L21 ANSWER 33 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 80180993 EMBASE
 DOCUMENT NUMBER: 1980180993
 TITLE: [Pityriasis simplex capillitii].
 PITYRIASIS SIMPLEX CAPILLITII.
 AUTHOR: Wirth H.
 CORPORATE SOURCE: Univ. Hautklin., D-6900 Heidelberg, Germany
 SOURCE: Therapeutische Umschau, (1980) Vol. 37, No. 7, pp. 555-558.
 CODEN: THUMAM
 COUNTRY: Switzerland
 DOCUMENT TYPE: Journal
 FILE SEGMENT: 037 Drug Literature Index
 013 Dermatology and Venereology
 LANGUAGE: German
 SUMMARY LANGUAGE: English; French
 ENTRY DATE: Entered STN: 9 Dec 1991
 Last Updated on STN: 9 Dec 1991

AB In the treatment of pityriasis simplex capillitii (dandruff) one aims at achieving inhibition of mitosis in the epidermis and if possible an additional keratolytic effect. Selendisulfide, cadmiumsulfide, Mg-pyrithion, ichthyol sodium, corticosteroids and coal tar reduces the mitoses in the epidermis. Salicylic acids, colloidal sulfur, Mg-Pyrithion and various surfactants act keratolytically.

L21 ANSWER 34 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 79185782 EMBASE
 DOCUMENT NUMBER: 1979185782
 TITLE: [Therapy of seborrhoea and pityriasis simplex capillitii].
 ASPEKTE ZUR THERAPIE DER SEBORRHOEA OLEOSA UND DER PITYRIASIS SIMPLEX CAPILLITII.
 AUTHOR: Gloor M.
 CORPORATE SOURCE: Univ. Hautklin., Heidelberg, Germany
 SOURCE: Hautarzt, (1979) Vol. 30, No. 5, pp. 236-241. .
 CODEN: HAUTAW
 COUNTRY: Germany
 DOCUMENT TYPE: Journal
 FILE SEGMENT: 037 Drug Literature Index
 013 Dermatology and Venereology
 LANGUAGE: German
 SUMMARY LANGUAGE: English

AB The treatment of seborrhoea oleosa capillitii should aim at inhibiting depletion of the sebaceous glands, lipid synthesis in the sebaceous gland

and microbial lipolysis of the triglycerides in the scalp and hair lipids. The use of isopropyl alcohol as a vehicle in a hair tonic reduces sebum depletion. Coal tar and estrogens reduce the lipid synthesis in the sebaceous gland. The lipolysis can be inhibited by various surfactants, isopropyl alcohol, colloidal sulphur, selenium disulphide, Omadine MDS and benzoyl peroxide. In the treatment of pityriasis simplex capillitii (dandruff) one aims at achieving inhibition of mitosis in the epidermis and, if possible, an additional 'keratolytic' effect. Inhibition of mitosis could be demonstrated and for coal tar, corticosteroids, selenium disulphide, cadmium sulphide, Omadine MDS, Zn Omadine and ichthyol sodium. Colloidal sulphur, salicylic acid, Omadine MDS and various surfactants act 'keratolytically'.

L21 ANSWER 35 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 77031290 EMBASE
DOCUMENT NUMBER: 1977031290
TITLE: Adolescent skin problems.
AUTHOR: Lubowe I.I.
CORPORATE SOURCE: 667 Madison Ave, New York, N.Y. 10021, United States
SOURCE: Cutis, (1976) Vol. 17, No. 2, pp. 369-374. .
CODEN: CUTIBC
DOCUMENT TYPE: Journal
FILE SEGMENT: 037 Drug Literature Index
013 Dermatology and Venereology
LANGUAGE: English

DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L21 ANSWER 36 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 77019673 EMBASE
DOCUMENT NUMBER: 1977019673
TITLE: [Effects of some topically applied drugs on the skin surface lipids].
BEEINFLUSSUNG DER HAUTOBERFLACHENLIPIDE DURCH EINIGE LOKALTHERAPEUTIKA.
AUTHOR: Raetz K.H.; Mattheus A.
CORPORATE SOURCE: Dermatol. Klin., Ber. Med., Univ. Rostock, Germany
SOURCE: Dermatologische Monatsschrift, (1975) Vol. 161, No. 11, pp. 948-951. .
CODEN: DMONBP
DOCUMENT TYPE: Journal
FILE SEGMENT: 037 Drug Literature Index
013 Dermatology and Venereology
LANGUAGE: German

DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L21 ANSWER 37 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 76144567 EMBASE
DOCUMENT NUMBER: 1976144567
TITLE: Treatment of superficial fungal infections of the skin.
AUTHOR: Pettit J.H.S.
CORPORATE SOURCE: China Insur. Bldg, Kuala Lumpur, Malaysia
SOURCE: Drugs, (1975) Vol. 10, No. 2, pp. 130-142. .
CODEN: DRUGAY
DOCUMENT TYPE: Journal
FILE SEGMENT: 037 Drug Literature Index
030 Pharmacology
013 Dermatology and Venereology
LANGUAGE: English

DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L21 ANSWER 38 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights

reserved on STN

ACCESSION NUMBER: 76117525 EMBASE
DOCUMENT NUMBER: 1976117525
TITLE: Scabietic infestations of man.
AUTHOR: Parlette H.L.
CORPORATE SOURCE: Dept. Dermatol., Nav. Reg. Med. Cent., Philadelphia, Pa.
19145, United States
SOURCE: Cutis, (1975) Vol. 16, No. 1, pp. 47-52. .
CODEN: CUTIBC
DOCUMENT TYPE: Journal
FILE SEGMENT: 037 Drug Literature Index
017 Public Health, Social Medicine and Epidemiology
013 Dermatology and Venereology
LANGUAGE: English
DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

L21 ANSWER 39 OF 39 EMBASE COPYRIGHT (c) 2007 Elsevier B.V. All rights reserved on STN

ACCESSION NUMBER: 74164616 EMBASE
DOCUMENT NUMBER: 1974164616
TITLE: Treatment of scalp disorders.
AUTHOR: Munro D.D.
CORPORATE SOURCE: St. Bartholomew's Hosp., London, United Kingdom
SOURCE: British Medical Journal, (1974) Vol. 1, No. 5901, pp.
236-238. .
CODEN: BMJOAE
DOCUMENT TYPE: Journal
FILE SEGMENT: 037 Drug Literature Index
013 Dermatology and Venereology
LANGUAGE: English
DATA NOT AVAILABLE FOR THIS ACCESSION NUMBER

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19	"6514489"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:06
L2	4	"5834409"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:10
L3	13	"1060732"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:12
L4	14	"6335023"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:14
L5	38	"6159485"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:29
L6	22	"5972920"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:29
S1	449279	sulfur or sulphur	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 11:54

EAST Search History

S2	995	"selenium sulfide"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 12:18
S3	5720	ketoconazole	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 12:18
S4	437	"pyrithione zinc"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 12:19
S5	610	S1 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 12:19
S6	2182	S1 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 12:19
S7	166	S1 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 12:19
S8	317	S5 and S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 13:13

EAST Search History

S9	90	S6 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 12:21
S10	568851	skin or dermatological	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 12:22
S11	82	S9 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 12:22
S12	123367	topical	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 12:23
S13	72	S11 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 12:36
S14	311	"sublimed sulfur"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 12:37
S15	225	S8 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 13:13

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	452658	sulfur	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 10:37
S2	452658	sulphur	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 10:41
S3	1	katoconazole	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 10:41
S4	5839	ketoconazole	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 10:42
S5	2241	S1 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 10:42
S6	1010	"selenium sulfide"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 10:43
S7	325	S5 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 10:43

EAST Search History

S8	444	"pyrithione zinc"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 10:43
S9	68	S7 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 11:01
S10	620	S1 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 11:01
S11	224169	cosmetic or dermatological	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 11:02
S12	1356	S5 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 11:02
S13	419	S10 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 13:00
S14	12	"3476489"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 13:01

EAST Search History

S15	14	"2884352"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/06 13:01
S16	4	"5997892"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 10:41
S17	31	"0242553"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 10:44
S18	2	"5716606"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 10:46
S19	5	"5632975"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 11:00
S20	33	"242553"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 12:01
S21	453705	sulfur	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 12:01

EAST Search History

S22	1014	"selenium sulfide"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 12:01
S23	622	S21 and S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 12:01
S24	14148	"skin care"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 12:01
S25	118	S23 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 12:01
S26	47797	antifungal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 12:01
S27	45	S25 and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 12:07
S28	249	S23 and S26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 12:07